

GENERAL OUTLOOK

April 1, 2006

SUMMARY

The month of March brought good news for water supplies in Oregon as the state received average levels of precipitation. March began with some fantastic powder days in the mountains of Oregon and the snowpack continued to build gradually all month at most SNOTEL sites in the state. The snowpack on April 1 was well above average, and precipitation since the beginning of the water year has also been above average. With normal temperatures and levels of spring precipitation, Oregon should enter the irrigation season with adequate water supplies for all users.

SNOWPACK

The Oregon snowpack as measured at SNOTEL sites, manual snow courses and aerial markers was 136 of normal on April 1. This will provide a good base for water supplies throughout the state. The snowpack ranges from a low of 112 percent of average in the Umatilla, Walla Walla, Rock, Lower John Day and Willow to a high of 164 percent of average in the Klamath basin. Following the substantially drier water year Oregon had in 2005, the state will welcome the comfortably above average snowpack conditions.

PRECIPITATION

Following an extremely dry February and an overly wet January, March precipitation was close to normal in all but northwest Oregon. March precipitation varied from 79 percent of normal in the Hood, Mile Creeks and Lower Deschutes to 118 percent of average in the Umatilla, Walla Walla, Rock, Lower John Day and Willow basins. Since the beginning of the water year, statewide precipitation has been 121 of average.

RESERVOIRS

At the end of March, the 27 major irrigation reservoirs in the state held 2,367,900 acre feet of water, an increase of 287,600 acre feet over last month. As of April 1, storage at Oregon's irrigation reservoirs was 95% of average and 73% of capacity.

STREAMFLOW



Stream flows throughout the state are forecast to be near average to above average this coming summer. Some early spring flooding and high stream flows have already occurred

east of the Cascade crest in Oregon. More high flows are expected if rains and warmer temperatures continue.

STREAM	PERIOD	PERCENT OF AVERAGE
Owyhee Net Inflow	April-July	211
Grande Ronde at La Grande	April-September	115
Umatilla at Pendleton	April – September	103
Deschutes at Benham Falls	April – September	112
Willamette MF near Oakridge	April – September	118
Rogue at Raygold	April – September	134
Upper Klamath L. Net Inflow	April – September	159
Silvies near Burns	April - September	200

OWYHEE AND MALHEUR BASINS

April 1, 2006



Water Supply Outlook

The snowpack in the Owyhee and Malheur basins continues to remain well above normal. The snow water equivalent on April 1 was 154 percent of average compared to 72 percent of average at this time last year. Following a drier than normal February, the Owyhee and Malheur had a slightly wetter than normal month of March. Since the beginning of the water year, precipitation in the basin has been 135 percent of average. Storage in 4 major irrigation reservoirs in the Owyhee and Malheur increased 102,800 acre feet over last month and as of April 1 was 102 percent of average and 82 percent of capacity.

The Malheur and Owyhee have already begun to experience high flows and some flooding as warm rains combined to saturate the watershed and melt the substantial snowpacks. The April through September flow for the Malheur near Drewsey is forecast to be 240 percent of average. The April through September inflow to Owyhee Reservoir is forecast to be 198 percent of average. Basin area water users are expected to have abundant water supplies this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Ontario - (541) 889-7637

OWYHEE AND MALHEUR BASINS
Streamflow Forecasts - April 1, 2006

Forecast Point	Forecast Period	Future Conditions						30-Yr Avg. (1000AF)
		<<===== Drier =====>>		===== Wetter =====>				
		90% (1000AF)	70% (1000AF)	Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)		30% (1000AF)	10% (1000AF)	
MALHEUR near Drewsey	APR-JUL APR-SEP	141 145	163 167	178 182	241 240	194 198	219 223	74 76
NF MALHEUR at Beulah	APR-JUL	112	123	131	218	139	151	60
OWYHEE RESV INFLOW (2)	APR-JUL APR-SEP	621 666	725 773	800 850	200 198	879 931	1002 1056	400 430
OWYHEE near Rome	APR-JUL	612	721	800	211	883	1013	380
SUCCOR CK nr Jordan Valley	APR-JUL	13.6	17.4	20	165	23	27	12.1

OWYHEE AND MALHEUR BASINS Reservoir Storage (1000 AF) - End of March					OWYHEE AND MALHEUR BASINS Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
BEULAH RES	60.0	50.2	33.3	47.2	Owyhee River	19	227	158
BULLY CREEK	30.0	26.2	28.6	24.1	Malheur	5	558	197
OWYHEE	715.0	579.8	251.0	593.0	Jordan Creek	2	200	120
WARMSPRINGS	191.0	155.8	55.2	133.5	Bully Creek	2	0	640



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

**For more information contact your local
Natural Resources Conservation Service Office
Ontario - (541) 889-7637**

BURNT, POWDER, GRAND RONDE, AND IMNAHA BASINS

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Burnt, Powder, Pine, Grande Ronde and Imnaha basins was 119 percent of average. At this time last year, the snowpack was only 53 percent of average. Following a drier than normal February, the Burnt, Powder, Pine, Grande Ronde and Imnaha basins had a slightly wetter than normal month of March. Since the beginning of the water year, precipitation in the basin has been 114 percent of average. Last year at this time, the basin had received only 70 percent of its normal precipitation.

As of April 1, storage at Phillips Lake, Thief Valley and Unity reservoirs had increased 18,600 acre feet since last month. On this date, storage at these reservoirs was 68 percent of average and 52 percent of capacity. Early April streamflows in this basin area have been well above normal with the onset of warm spring rains melting the mountain snowpack. Streamflows throughout the basin area are expected to be above average this coming season. April through September streamflows range from 101 percent of average for the Grande Ronde at La Grande to 214 percent of average for the Powder near Sumptner. Basin area water users are expected to have adequate water supplies this season.

For more information contact your local
Natural Resources Conservation Service Office
Enterprise- (541) 426-4588; Baker City - (541) 523-7121; LaGrande - (541) 963-4178

BURNT, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS
Streamflow Forecasts - April 1, 2006

Forecast Point	Forecast Period	Future Conditions				Wetter		30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF)	Chance Of Exceeding * (% AVG.)	30% (1000AF)	10% (1000AF)	
ANTHONY CK bl NF nr North Powder	APR-JUL	13.8	16.5	18.4	114	20	23	16.2
BEAR CREEK near Wallowa	APR-SEP	53	63	70	108	77	87	65
BIG CK bl Burn Ck nr Medical Spgs	APR-JUL	9.6	11.4	12.6	106	13.8	15.6	11.9
BURNT near Hereford (2)	APR-JUL	65	72	76	205	80	87	37
	APR-SEP	67	74	79	203	84	91	39
CATHERINE CREEK near Union	APR-SEP	56	63	68	103	73	80	66
DEER CK nr Sumpter	APR-JUL	14.9	17.9	20	130	22	25	15.4
EAGLE CREEK abv Skull Creek	APR-JUL	160	176	187	116	200	215	161
	APR-SEP	176	193	205	117	215	235	176
GRANDE RONDE at La Grande	APR-JUL	136	163	182	100	201	228	182
	APR-SEP	143	171	190	101	209	237	188
GRANDE RONDE at Troy (1)	APR-JUL	1129	1363	1470	116	1577	1810	1270
	APR-SEP	1202	1455	1570	115	1685	1940	1370
HURRICANE CREEK near Joseph	APR-SEP	45	47	49	117	51	53	42
IMNAHA at Imnaha	APR-SEP	280	315	340	115	365	400	295
LOSTINE near Lostine	APR-SEP	122	130	136	112	142	150	121
PINE CREEK near Oxbow	APR-JUL	149	166	178	120	188	208	148
POWDER near Sumpter (2)	APR-JUL	113	119	124	214	129	135	58
	APR-SEP	114	121	126	214	131	138	59
EF WALLOWA near Joseph	APR-SEP	11.6	12.4	13.0	117	13.6	14.4	11.1
WALLOWA at Joseph (2)	APR-JUL	71	76	79	123	82	87	64
WOLF CK RESERVOIR inflow	APR-JUN	12.2	15.5	17.7	120	19.9	23	14.8

BURNT, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS
Reservoir Storage (1000 AF) - End of March

BURNT, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS
Watershed Snowpack Analysis - April 1, 2006

Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
PHILLIPS LAKE	73.5	24.5	21.3	50.8	Grande Ronde ab LaGrande	6	326	115
THIEF VALLEY	17.4	13.7	13.4	17.9	Powder River	10	263	136
UNITY	25.2	22.7	17.5	21.1	Wallowa, Imnaha, Catherine	11	191	110
WALLOWA LAKE	37.5	15.4	---	19.6	Burnt River	5	366	166
WOLF CREEK		NO REPORT						



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

**For more information contact your local
Natural Resources Conservation Service Office
Enterprise- (541) 426-4588; Baker City - (541) 523-7121; LaGrande - (541) 963-4178**

UMATILLA, WALLA WALLA, WILLOW ROCK, AND LOWER JOHN DAY BASINS

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Umatilla, Walla Walla, Rock, Lower John Day and Willow basin area was 112 percent of normal, the lowest in the state. At this time last year, the basin was tied for lowest snowpack in Oregon at only 26 percent of normal.

Following a wet January and dry February, March precipitation was near average at 97 percent of normal. Since the beginning of the water year, 105 percent of the normal precipitation has fallen in this basin area. As of April 1, storage at Cold Springs and McKay reservoirs in the Umatilla basin had increased 20,100 acre feet over last month. On this date, storage at these reservoirs was 65 percent of average and 51 percent of capacity.

Early April streamflows in the John Day have been above normal with warm spring rains and snow melt. April through September streamflow forecasts range from 103 percent of average for the Umatilla near Pendleton to 115 percent of average for McKay creek near Pilot Rock. For the South Fork Walla Walla near Milton-Freewater, April through September streamflows are forecast to be 110 percent of average. Water users in the basin are expected to have adequate supplies this coming season.

For more information contact your local
 Natural Resources Conservation Service Office
 Pendleton - (541) 278-8049; Heppner - (541) 676-5021; Condon - (541) 384-2671

UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS
Streamflow Forecasts - April 1, 2006

Forecast Point	Forecast Period	<<===== Drier =====>>		Future Conditions		===== Wetter =====>>		30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	30% (1000AF)	10% (1000AF)	
BUTTER CK nr Pine City	APR-JUL	7.4	9.6	11.1	118	12.6	14.8	9.4
COUSE CREEK near Milton-Freewater	APR-JUL	4.3	4.6	4.9	123	5.2	5.5	4.0
MCKAY near Pilot Rock	APR-SEP	16.9	25	31	115	37	45	27
PINE CREEK near Weston	APR-JUL	2.5	2.8	3.0	100	3.2	3.5	3.0
RHEA CREEK near Heppner	APR-JUL	4.5	5.3	5.9	97	6.5	7.3	6.1
ROCK CREEK above Whyte	APR-JUL	3.3	8.5	12.0	99	15.5	21	12.1
UMATILLA near Gibbon	APR-JUL	57	69	77	106	85	97	73
	APR-SEP	64	76	84	106	92	104	79
UMATILLA at Pendleton	APR-JUL	105	133	153	103	173	199	149
	APR-SEP	108	138	159	103	180	209	155
SF WALLA WALLA near Milton-Freewater	APR-SEP	65	70	74	110	78	83	67
WILLOW CREEK LAKE INFLOW	APR-JUL	3.4	5.6	7.0	100	8.4	10.6	7.0

UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS					UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS			
Reservoir Storage (1000 AF) - End of March					Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** This Year	Usable Last Year	Storage *** Avg	Watershed	Number of Data Sites	This Year as % of Last Yr	% of Average
COLD SPRINGS	50.0	27.1	17.8	40.1	Walla Walla River	3	368	113
MCKAY	73.8	35.8	26.3	56.6	Umatilla River	7	432	115
WILLOW CREEK	1.8	1.6	0.4	---	McKay Creek	4	3588	103



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Pendleton - (541) 278-8049; Heppner - (541) 676-5021; Condon - (541) 384-2671

UPPER JOHN DAY BASIN

April 1, 2006



Water Supply Outlook

In the Upper John Day, the April 1 snowpack was a notable 146 percent of average. At this time last year, the snowpack was only 44 percent of average.

The month of March was near average for precipitation (112 percent of normal) following a wet January and dry February. Since the beginning of the water year, precipitation has been 118 percent of normal in the Upper John Day basin.

Early April streamflows in the Upper John day have been above normal. April through July streamflows range from 68 percent of average for Camas creek near Ukiah to 120 percent of average for the North Fork John Day at Monument. Water users in the basin are expected to have adequate supplies this coming season.

For more information contact your local
Natural Resources Conservation Service Office
John Day - (541) 575-0135

=====

UPPER JOHN DAY BASIN
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	Future Conditions						30-Yr Avg. (1000AF)
		<<===== Drier =====>>		===== Wetter =====>>				
		90% (1000AF)	70% (1000AF)	Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)		30% (1000AF)	10% (1000AF)	
CAMAS CREEK nr Ukiah	APR-JUL	14.0	21	25	68	29	36	37
	APR-SEP	14.9	22	26	68	30	37	38
MF JOHN DAY at Ritter	APR-JUL	120	140	153	124	166	186	123
	APR-SEP	125	145	159	124	173	193	128
NF JOHN DAY at Monument	APR-JUL	560	650	715	120	780	870	595
	APR-SEP	575	670	735	120	800	895	615
MOUNTAIN CREEK near Mitchell	APR-JUL	6.0	6.9	7.5	167	8.1	9.0	4.5
STRAWBERRY CREEK nr Prairie City	APR-JUL	8.0	9.0	9.7	137	10.4	11.4	7.1
	APR-SEP	8.7	9.8	10.6	136	11.4	12.5	7.8

UPPER JOHN DAY BASIN Reservoir Storage (1000 AF) - End of March					UPPER JOHN DAY BASIN Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
					John Day, North Fork	8	329	125
					John Day above Dayville	4	317	142



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

**For more information contact your local
Natural Resources Conservation Service Office
John Day - (541) 575-0135**

UPPER DESCHUTES AND CROOKED BASINS

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Upper Deschutes and Crooked rivers was a notable 149 percent of average. This time last year, the snowpack was only 48 percent of normal. Following a wet January and dry February, March precipitation in the Upper Deschutes and Crooked river basins was slightly below normal at 88 percent of average. Since the beginning of the water year, 121 percent of the average precipitation has fallen in the Upper Deschutes and Crooked river basins.

Storage in 5 major irrigation reservoirs in the Upper Deschutes and Crooked river basins has increased 56,400 acre feet over last month. As of April 1, reservoir storage in the basin was 88 percent of average and 74 percent of capacity. April through July streamflow forecasts range from 173 percent of average for Ochoco reservoir inflow to 109 percent of average for Wickiup reservoir inflow. The August through September streamflows for the Deschutes below Bend are forecast to be 112 percent of average.

For more information contact your local
 Natural Resources Conservation Service Office
 Redmond (541) 923-4358

UPPER DESCHUTES AND CROOKED BASINS
Streamflow Forecasts - April 1, 2006

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)		
		90% (1000AF)		70% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)			30% (1000AF) 10% (1000AF)	
BEAVER CREEK near Paulina	APR-SEP	22	27	31	115	35	40	27		
	APR-JUL	22	27	31	115	35	40	27		
CRANE PRAIRIE RESERVOIR INFLOW	APR-JUL	68	72	75	127	78	82	59		
	APR-SEP	105	113	118	127	123	131	93		
CRESCENT CREEK near Crescent	APR-JUL	21	23	25	145	27	29	17.2		
	APR-SEP	25	28	30	143	32	35	21		
DESCHUTES below Bend (2)	AUG-SEP	145	171	188	112	205	231	168		
DESCHUTES at Benham Falls	APR-JUL	375	390	395	113	400	415	350		
	APR-SEP	560	580	590	112	600	620	525		
DESCHUTES below Snow Creek	APR-JUL	31	36	39	118	42	47	33		
	APR-SEP	58	68	74	125	80	90	59		
LITTLE DESCHUTES near La Pine	APR-JUL	90	98	104	147	110	118	71		
	APR-SEP	101	111	117	146	123	133	80		
NF CROOKED blw Lookout Ck	APR-JUL	12.1	14.7	16.5	176	18.7	22	9.4		
OCHOCO RESERVOIR INFLOW	APR-JUL	27	33	38	173	43	49	22		
	APR-SEP	27	33	38	173	43	49	22		
PRINEVILLE RESERVOIR INFLOW	APR-JUL	132	161	184	170	209	249	108		
	APR-SEP	137	166	185	170	204	233	109		
SQUAW CREEK near Sisters	APR-JUL	35	39	41	114	43	47	36		
	APR-SEP	49	53	56	114	59	63	49		
TUMALO CREEK near Bend	APR-JUL	37	40	43	116	46	49	37		
	APR-SEP	44	49	52	116	55	60	45		
WICKIUP RESERVOIR INFLOW	APR-JUL	171	177	181	106	185	191	171		
	APR-SEP	295	305	310	109	315	325	285		

UPPER DESCHUTES AND CROOKED BASINS Reservoir Storage (1000 AF) - End of March					UPPER DESCHUTES AND CROOKED BASINS Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
CRANE PRAIRIE	55.3	37.1	35.2	43.9	Crooked, Ochoco	4	307	165
CRESCENT LAKE	86.9	22.9	30.7	53.5	Deschutes above Wickiup	3	256	146
OCHOCO	47.5	34.3	30.2	32.6	Little Deschutes	4	302	158
PRINEVILLE	153.0	120.3	132.3	132.9	Tumalo and Squaw Creeks	4	325	143
WICKIUP	200.0	185.9	188.7	189.7				



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Redmond (541) 923-4358

HOOD, MILE CREEKS, AND LOWER DESCHUTES BASINS

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Hood, Mile Creeks and Lower Deschutes basins was 126 percent of average. On April 1 last year, the basin was tied for lowest snowpack in Oregon at only 26 percent of normal. Precipitation for March was slightly below normal in the basin at 79 percent of average. Since the beginning of the water year, 105 percent of the normal precipitation has fallen in the Hood, Mile Creeks and Lower Deschutes basins.

As of April 1, storage in Clear Lake reservoir had increased 300 acre feet over last month. As of this date, Clear Lake reservoir storage was 56 percent of average and 21 percent of capacity. April through September streamflow forecasts range from 111 percent of average for Hood River at Tucker Bridge to 115 percent of average for the White river below Tygh Valley. Summer streamflows are expected to be adequate for water users this season.

For more information contact your local
 Natural Resources Conservation Service Office
 The Dalles - (541) 296-6178

HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS
Streamflow Forecasts - April 1, 2006

Forecast Point	Forecast Period	<<===== Drier =====>>		Future Conditions		===== Wetter =====>>		30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	30% (1000AF)	10% (1000AF)	
HOOD at Tucker Bridge	APR-JUL	210	234	250	110	266	290	228
	APR-SEP	259	283	300	111	317	341	271
WF HOOD near Dee	APR-JUL	112	126	135	112	144	158	121
	APR-SEP	136	150	160	114	170	184	141
WHITE below Tygh Valley	APR-JUL	103	117	127	116	137	151	110
	APR-SEP	118	133	143	115	153	168	124

HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS Reservoir Storage (1000 AF) - End of March					HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
CLEAR LAKE (WASCO)	11.9	2.5	0.0	4.5	Hood River	7	508	124
					Mile Creeks	1	465	158
					White River	3	442	120



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
The Dalles - (541) 296-6178

LOWER COLUMBIA BASIN

April 1, 2006



Water Supply Outlook

March precipitation was slightly below normal over the Columbia Basin at 78 percent of average. As a result, the Columbia Basin snowpack above The Dalles is currently at 102 percent of average. This is down slightly from 105 percent on February 1. From a watershed viewpoint, 2006 is turning out to be a normal snowpack year. This is an improvement over 2005 conditions when the April 1 snowpack was a dismal 64 percent of average.

While most of the Columbia basin snowpack did not increase at normal levels for the month of March, southern Idaho and eastern Oregon snowpacks benefited from above normal precipitation and cooler weather during March. The April through September forecasted flow for the Columbia River at The Dalles is 100 percent of average. The April through September streamflow forecast for the Sandy near Marmot is 110 percent of average.

For more information contact your local
Natural Resources Conservation Service Office
Oregon City - (503) 656-3499

=====

LOWER COLUMBIA BASIN
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	<<===== Drier =====		Future Conditions		===== Wetter =====>>		30-Yr Avg. (1000AF)
		90%	70%	Chance Of Exceeding *		30%	10%	
		(1000AF)	(1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	(1000AF)	(1000AF)	
COLUMBIA R. at The Dalles (2)	APR-JUL	73063	79754	84300	100	88850	95540	84600
	APR-SEP	87808	94055	98300	100	102540	108790	98600
SANDY near Marmot	APR-JUL	285	324	350	112	376	415	313
	APR-SEP	331	372	400	110	428	469	363

LOWER COLUMBIA BASIN Reservoir Storage (1000 AF) - End of March					LOWER COLUMBIA BASIN Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
					Sandy River	5	529	128



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Oregon City - (503) 656-3499

WILLAMETTE BASIN

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Willamette basin was slightly above normal at 123 percent of average. This time last year, the Willamette basin snowpack was a dismal 31 percent of average. Given average spring rainfall and temperature patterns, snowpacks are expected to last a couple of weeks later than normal this spring in the Willamette basin. Following a wet January and dry February, March 2006 precipitation was slightly lower than normal at 80 percent of average. Since the beginning of the water year, 114 percent of the normal precipitation has fallen in the Willamette basin.

As of April 1, storage in Timothy and Hagg Lakes reservoirs was 77 percent of average and 68 percent of capacity. April through September streamflows are expected to be average to slightly above average throughout the entire Willamette this year. Forecasted flows range from 130 percent of average for Fern Ridge Lake inflow to 95 percent of average for Foster Lake inflow. Willamette basin water users can expect adequate water supplies this coming season.

For more information contact your local
 Natural Resources Conservation Service Office
 Eugene - (541) 465-6436; Portland - (503) 231-2270; Tangent - (541) 967-5925
 Oregon City - (503) 656-3499; Hillsboro - (503) 648-3174; McMinnville - (503) 472-1474
 Salem - (503) 399-5746; Dallas - (503) 623-5534

=====

WILLAMETTE BASIN
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)
		90% (1000AF)		70% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)		
		30% (1000AF)	10% (1000AF)					
BLUE RIVER LAKE INFLOW (1,2)	APR-MAY	44	60	68	102	76	92	67
	APR-SEP	53	76	87	101	98	121	86
CLACKAMAS at Estacada (2)	APR-JUL	654	723	770	120	817	886	640
	APR-SEP	756	830	880	118	930	1004	748
CLACKAMAS above Three Lynx (2)	APR-JUL	538	581	610	129	639	682	474
	APR-SEP	638	684	715	127	746	792	562
COTTAGE GROVE LAKE INFLOW (1,2)	APR-MAY	16.2	31	37	112	44	58	33
	APR-SEP	19.2	39	48	112	57	77	43
COUGAR LAKE INFLOW (1,2)	APR-MAY	104	132	145	103	158	186	141
	APR-SEP	188	227	245	107	263	302	230
DETROIT LAKE INFLOW (1,2)	APR-MAY	259	325	355	102	385	451	349
	APR-JUL	394	491	535	101	579	676	528
	APR-SEP	467	569	615	100	661	763	616
DORENA LAKE INFLOW (1,2)	APR-MAY	51	98	120	111	142	189	108
	APR-SEP	62	116	140	115	164	218	122
FALL CREEK LAKE INFLOW (1,2)	APR-MAY	44	77	92	110	107	140	84
FERN RIDGE LAKE INFLOW (1,2)	APR-MAY	15.3	37	47	102	57	79	46
	APR-SEP	1.4	22	35	130	48	77	27
FOSTER LAKE INFLOW (1,2)	APR-MAY	228	332	380	102	428	532	371
	APR-JUL	277	427	495	101	563	713	490
	APR-SEP	312	465	535	102	605	758	527
GREEN PETER LAKE INFLOW (1,2)	APR-MAY	155	220	250	101	280	345	248
	APR-JUL	178	276	320	98	364	462	327
	APR-SEP	192	290	335	95	380	478	354
HILLS CREEK LAKE INFLOW (1,2)	APR-MAY	165	206	225	121	244	285	186
	APR-JUL	230	292	320	116	348	410	277
	JUN-OCT	146	170	180	110	190	214	164
	APR-SEP	292	349	375	117	401	458	320
LITTLE NORTH SANTIAM (1)	APR-JUL	67	107	125	94	143	183	133
	APR-SEP	79	121	140	98	159	201	143
LOOKOUT POINT LAKE INFLOW (1,2)	APR-MAY	437	542	590	120	638	743	492
	APR-JUL	626	787	860	119	933	1094	726
	JUN-OCT	339	415	450	112	485	561	402
	APR-SEP	744	906	980	118	1054	1216	828
McKENZIE below Trail Bridge (2)	APR-JUL	259	278	290	109	302	321	266
	APR-SEP	379	400	415	103	430	451	404
McKENZIE near Vida (1,2)	APR-JUL	754	923	1000	102	1077	1246	977
	APR-SEP	970	1149	1230	102	1311	1490	1201
MOHAWK near Springfield	APR-JUL	41	64	79	100	95	117	79
OAK GROVE FORK above Power Intake	APR-JUL	151	161	168	129	175	185	130
	APR-SEP	190	202	210	126	218	230	167
NORTH SANTIAM at Mehama (1,2)	APR-JUL	471	629	700	96	771	929	732
	APR-SEP	572	736	810	97	884	1048	834
SOUTH SANTIAM at Waterloo (2)	APR-JUL	365	478	555	101	632	745	549
	APR-SEP	398	512	590	101	668	782	587
SCOGGINS CREEK near Gaston (2)	APR-JUL	7.7	12.0	15.0	116	18.0	22	12.9
THOMAS CREEK near Scio	APR-JUL	48	64	75	100	86	103	75

=====

For more information contact your local
Natural Resources Conservation Service Office
Eugene - (541) 465-6436; Portland - (503) 231-2270; Tangent - (541) 967-5925
Oregon City - (503) 656-3499; Hillsboro - (503) 648-3174; McMinnville - (503) 472-1474
Salem - (503) 399-5746; Dallas - (503) 623-5534

=====

WILLAMETTE BASIN
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)		
		90% (1000AF)		70% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)			30% (1000AF) 10% (1000AF)	
MF WILLAMETTE below NF (1,2)	JUN-OCT	364	423	450	115	477	536	391		
	APR-JUL	631	768	830	119	892	1029	698		
	APR-MAY	441	537	580	123	623	719	471		
	APR-SEP	741	881	945	118	1009	1149	798		
WILLAMETTE at Salem (1,2)	APR-MAY	2174	2893	3220	103	3547	4266	3140		
	APR-JUL	2860	3919	4400	101	4881	5940	4347		
	APR-SEP	3309	4369	4850	101	5331	6391	4804		

WILLAMETTE BASIN Reservoir Storage (1000 AF) - End of March					WILLAMETTE BASIN Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
BLUE RIVER **	85.5	52.5	44.8	52.6	Clackamas River	5	774	140
COTTAGE GROVE **	29.8	17.8	14.4	18.5	McKenzie River	5	365	121
COUGAR **	155.2	81.2	6.6	150.5	Row River	1	615	109
DETROIT **	300.7	156.8	140.1	222.0	Santiam River	6	587	118
DORENA **	70.5	39.5	32.9	45.3	Willamette, Middle Fork	6	318	133
FALL CREEK **	115.5	78.8	47.5	71.1				
FERN RIDGE **	109.6	82.1	0.0	77.1				
FOSTER **	29.7	7.9	17.5	12.4				
GREEN PETER **	268.2	191.2	149.2	236.2				
HILLS CREEK **	200.2	134.9	51.9	169.1				
LOOKOUT POINT **	337.0	209.7	82.8	188.7				
TIMOTHY LAKE	61.7	27.4	59.8	51.6				
HENRY HAGG LAKE	53.0	4.9	47.7	49.8				

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.



For more information contact your local
Natural Resources Conservation Service Office
Eugene - (541) 465-6436; Portland - (503) 231-2270; Tangent - (541) 967-5925
Oregon City - (503) 656-3499; Hillsboro - (503) 648-3174; McMinnville - (503) 472-1474
Salem - (503) 399-5746; Dallas - (503) 623-5534



Snowflake image courtesy of Snowflake Bentley
<http://www.snowflakebentley.com/>

ROGUE AND UMPQUA BASINS

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Rogue and Umpqua basins was 162 percent of average, nearly the highest in the state. This contrasts greatly to the dismal 51 percent of average snowpack on April 1, 2005. Given average spring rainfall and temperature patterns, snow is expected to melt out 2 to 3 weeks later than normal this spring in the upper elevations of the Rogue and Umpqua. Following a wet January and a dry February, March precipitation was higher than normal at 111 percent of average. Since the beginning of the water year, 141 percent of the normal precipitation has fallen in the Rogue and Umpqua basin.

As if April 1, storage in 5 major irrigation reservoirs in the Rogue and Umpqua rivers had increased 9300 acre feet over last month. As of this date, reservoir storage in the Rogue and Umpqua was 115 percent of average and 89 percent of capacity. April through September streamflow forecasts range from 168 percent of average for the inflow to Applegate reservoir to 112 percent of average for the Clearwater near Trap Creek. Elsewhere in the basin, the Rogue at Raygold April through September forecast is 130 percent of average and the South Umpqua at Tiller 120 percent of average. Water users can expect better than average conditions this coming summer.

For more information contact your local
 Natural Resources Conservation Service Office
 Roseburg - (541) 673-8316; Medford - (541) 776-4267

=====

ROGUE AND UMPQUA BASINS
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>				30-Yr Avg. (1000AF)						
		90% (1000AF)		70% (1000AF)			Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)		30% (1000AF)		10% (1000AF)	
APPLEGATE LAKE Net Inflow (2)	APR-JUL	157	174	185	165	196	213			112		
	APR-SEP	172	189	200	168	211	228			119		
SF BIG BUTTE CK nr Butte Falls	APR-JUL	36	42	46	135	50	56			34		
CLEARWATER above Trap Creek (2)	APR-SEP	63	70	75	112	80	87			67		
COW CREEK near Azalea	APR-JUL	12.9	16.8	19.5	118	22	26			16.5		
	APR-SEP	15.3	19.3	22	124	25	29			17.7		
FOURMILE LAKE net Inflow (2)	APR-JUL	5.7	6.8	7.6	131	8.4	9.5			5.8		
	APR-SEP	6.7	7.8	8.6	121	9.4	10.5			7.1		
GRAVE CREEK at Pease Bridge	APR-JUL	6.7	8.7	10.0	137	11.3	13.3			7.3		
HYATT PRAIRIE RES net Inflow (2)	APR-JUL	3.9	5.2	6.0	125	6.8	8.1			4.8		
ILLINOIS R near Kerby	APR-JUL	170	209	235	131	261	300			179		
	APR-SEP	180	219	245	132	271	310			186		
NF LITTLE BUTTE CK nr Lakecreek (2)	APR-SEP	17.9	20	22	164	24	26			13.4		
SF LITTLE BUTTE CK nr Lakecreek (2)	APR-SEP	38	44	48	150	52	58			32		
LOST CREEK LAKE INFLOW (2)	APR-JUL	623	663	690	130	717	757			530		
	APR-SEP	775	820	850	128	880	925			665		
RED BLANKET CK nr Prospect	APR-JUL	40	46	50	147	54	60			34		
ROGUE above Prospect	APR-JUL	280	301	315	129	329	350			245		
	APR-SEP	341	364	380	127	396	419			300		
SF ROGUE near Prospect (2)	APR-JUL	69	77	82	141	87	95			58		
	APR-SEP	82	91	97	139	103	112			70		
ROGUE R at Raygold (2)	APR-JUL	887	942	980	134	1018	1073			730		
	APR-SEP	1061	1120	1160	130	1200	1259			890		
ROGUE R at Grants Pass (2)	APR-JUL	923	993	1040	141	1087	1157			740		
	APR-SEP	1097	1173	1225	138	1277	1353			885		
SUCKER CK blw Little Grayback	APR-JUL	63	73	80	154	87	97			52		
	APR-SEP	68	79	86	154	93	104			56		
NORTH UMPQUA nr Toketee Falls (2)	APR-SEP	159	176	188	125	200	217			151		
NORTH UMPQUA at Winchester	APR-JUL	740	871	960	121	1049	1180			795		
SOUTH UMPQUA near Brockway	APR-JUL	254	376	460	115	544	666			400		
SOUTH UMPQUA at Tiller	APR-JUL	164	206	235	122	264	306			193		
	APR-SEP	174	216	245	120	274	316			205		

ROGUE AND UMPQUA BASINS Reservoir Storage (1000 AF) - End of March					ROGUE AND UMPQUA BASINS Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
APPLEGATE	75.2	41.6	29.0	46.9	Applegate River	6	206	142
EMIGRANT LAKE	39.0	37.7	29.6	34.4	Bear Creek	5	197	143
FISH LAKE	8.0	4.3	4.0	5.8	Butte Creek	6	535	163
FOURMILE LAKE	16.1	5.6	3.6	10.2	Illinois River	5	387	176
HOWARD PRAIRIE	60.0	60.2	32.9	44.9	North Umpqua River	9	413	147
HYATT PRAIRIE	16.1	16.1	13.6	12.3	Rogue River	23	303	158
LOST CREEK **	315.0	137.3	221.2	263.2				



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Roseburg - (541) 673-8316; Medford - (541) 776-4267

KLAMATH BASIN

April 1, 2006



Water Supply Outlook

On April 1, the Klamath basin had the largest snowpack in the state at 164 percent of average. This is a remarkable contrast to the 51 percent of average snowpack on April 1, 2005. Given average spring rainfall and temperature patterns, snow is expected to melt out 2-3 weeks later than normal this spring in the Klamath basin.

Precipitation for March was slightly lower than normal at 95 percent of average. Since the beginning of the water year, 126 percent of the normal precipitation has fallen in the Klamath basin.

Storage in Clear Lake (CA), Gerber reservoir and Upper Klamath Lake in the Klamath basin has increased 103,000 acre feet over last month. As of April 1, reservoir storage in the Klamath basin was 95 percent of average and 66 percent of capacity. Streamflow forecasts for April through September range from 157 percent of average for the inflow to Gerber reservoir to 170 percent of average for the Sprague near Chiloquin. Water users in the Klamath basin in Oregon are expected to have above average supplies this coming season.

For more information contact your local
 Natural Resources Conservation Service Office
 Klamath Falls - (541) 883-6932

=====

KLAMATH BASIN
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	<<===== Drier =====>>		Future Conditions		===== Wetter =====>>		30-Yr Avg. (1000AF)
		90%	70%	Chance Of Exceeding *		30%	10%	
		(1000AF)	(1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	(1000AF)	(1000AF)	
CLEAR LAKE NET INFLOW (2)	APR-JUL	51	61	67	163	73	83	41
	APR-SEP	66	74	80	168	86	94	48
GERBER RESERVOIR Net Inflow (2)	APR-JUL	19.4	25	29	172	33	39	16.9
	APR-SEP	19.0	24	28	157	32	37	17.8
Sprague River near Chiloquin	APR-JUL	297	329	350	172	371	403	203
	APR-SEP	337	368	390	170	412	443	230
UPPER KLAMATH LAKE NET INFLOW (1)	APR-JUL	536	643	690	162	736	842	425
	APR-SEP	651	770	820	159	873	986	515
WILLIAMSON R near Chiloquin	APR-JUL	427	481	520	163	558	615	320
	APR-SEP	507	568	610	158	653	715	385

KLAMATH BASIN Reservoir Storage (1000 AF) - End of March					KLAMATH BASIN Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
CLEAR LAKE (CALIF)	513.3	203.4	72.6	248.9	Lost River	5	1382	175
GERBER	94.3	96.1	21.6	66.6	Sprague River	6	264	192
UPPER KLAMATH LAKE	523.7	445.0	463.6	457.8	Upper Klamath Lake	16	326	166
					Williamson River	5	317	169



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Klamath Falls - (541) 883-6932

LAKE COUNTY AND GOOSE LAKE

April 1, 2006



Water Supply Outlook

The April 1 snowpack in the Lake County and Goose Lake basins is well above average at 143 percent. At this point in time last year, the snowpack was only 71 percent of average.

Precipitation for the month of March was 108 percent of average following a wet January and drier than normal February. Since the beginning of the water year, 142 percent of the normal precipitation has fallen in the Lake County and Goose Lake basin.

As of April 1, storage in Cottonwood, Drews and Thompson valley reservoirs in Lake County and Goose Lake basin had increased 1600 acre feet over last month. As of this date, storage was 128 percent of average and 95 percent of capacity. Spring rains have already brought above average streamflows to the region. April through September forecasts range from 148 percent of average for Honey creek near Plush to 161 percent of average for Twentymile creek near Adel. Water supplies are expected to be abundant this coming season.

For more information contact your local
 Natural Resources Conservation Service Office
 Lakeview - (541) 947-2202

LAKE COUNTY AND GOOSE LAKE BASINS
Streamflow Forecasts - April 1, 2006

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)		
		90% (1000AF)		70% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)			30% (1000AF)	10% (1000AF)
BRIDGE CK nr Spahr Ranch	APR-JUL	4.6	5.3	5.8	181	6.3	7.0	3.2		
CHEWAUCAN R nr Paisley	APR-JUL	94	106	114	154	122	134	74		
	APR-SEP	98	110	118	151	126	138	78		
COTTONWOOD CK nr Lakeview (2)	APR-JUL	11.4	12.6	13.5	155	14.4	15.6	8.7		
DEEP CK abv Adel	APR-JUL	85	94	100	149	106	115	67		
	APR-SEP	90	99	105	152	111	120	69		
DREWS RESERVOIR net Inflow (2)	APR-JUL	21	28	32	152	36	43	21		
HONEY CK nr Plush	APR-JUL	18.1	22	24	146	26	30	16.4		
	APR-SEP	24	24	25	148	25	25	16.6		
SILVER CK nr Silver Lk	APR-JUL	20	23	25	172	27	30	14.5		
TWENTYMILE CK nr Adel	APR-JUL	20	24	28	163	31	35	16.9		
	APR-SEP	20	25	28	161	31	36	17.4		

LAKE COUNTY AND GOOSE LAKE BASINS
Reservoir Storage (1000 AF) - End of March

LAKE COUNTY AND GOOSE LAKE BASINS
Watershed Snowpack Analysis - April 1, 2006

Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
COTTONWOOD	8.7	9.3	6.9	5.7	Chewaucan River	5	275	143
DREWS	63.0	63.5	16.0	47.9	Deep Creek	2	172	146
THOMPSON VALLEY	18.4	12.4	---	13.2	Drew Creek	5	290	140
					Honey Creek	2	196	146
					Silver Creek (Lake Co.)	4	224	240
					Twentymile Creek	3	179	144



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Lakeview - (541) 947-2202

HARNEY BASIN

April 1, 2006



Water Supply Outlook

The Harney basin snowpack was well above normal on April 1 at 137 percent of average. In contrast, the April 2005 snowpack was only 56 percent of average.

March precipitation was 115 percent of average following a wet January and dry February. Since the beginning of the water year, 123 percent of the normal precipitation has fallen in the Harney basin. Spring rains have already brought above average streamflows to the Harney basin. April through September streamflow forecasts range from 140 percent of average for the Donner und Blitzen near French Glen to 200 percent of average for the Silvies near Burns. Water users can anticipate abundant water supplies this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Hines - (541) 573-6446

=====

HARNEY BASIN
Streamflow Forecasts - April 1, 2006

=====

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)		
		90% (1000AF)		70% (1000AF)		50% (Most Probable) (1000AF) (% AVG.)			30% (1000AF) 10% (1000AF)	
		Chance Of Exceeding *								
DONNER und BLITZEN R nr Frenchglen	APR-JUL	70	79	85	133	91	100	64		
	APR-SEP	82	92	98	140	105	114	70		
SILVER CK nr Riley	APR-JUL	32	35	37	195	39	42	19.0		
SILVIES R nr Burns	APR-JUL	121	150	170	177	190	219	96		
	APR-SEP	148	178	198	200	218	248	99		
TROUT CK nr Denio	APR-JUL	11.8	13.7	15.0	156	16.3	18.3	9.6		
	APR-SEP	12.6	14.6	16.0	155	17.4	19.4	10.3		

HARNEY BASIN Reservoir Storage (1000 AF) - End of March					HARNEY BASIN Watershed Snowpack Analysis - April 1, 2006			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
					Donner und Blitzen River	0	0	0
					Silver Creek (Harney Co)	2	420	159
					Silvies River	4	395	154
					Trout Creek	0	0	0

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
Hines - (541) 573-6446

LOW FLOW FORECASTS FOR OREGON

OWYHEE AND MALHEUR BASINS			
<i>FORECAST POINT</i>	<i>LOW FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Owyhee near Rome	2000	June 15	May 14
	1000	July 1	May 28
	500	July 15	June 11

BURNT, POWDER, PINE, GRAND RONDE AND IMNAHA BASINS			
<i>FORECAST POINT</i>	<i>LOW FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Eagle Creek above Skull Creek	225	August 5	July 25
	160	August 15	August 5
Catherine Creek near Union	50	August 1	Average Value = 49 cfs
	100	July 9	July 9
	50	August 1	July 28
Powder near Sumpter	100	June 28	June 25
	20	July 24	July 22
Deer Creek above Phillips Resv near Sumpter	40	June 18	June 17
	10	July 7	July 6

UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS			
<i>FORECAST POINT</i>	<i>LOW FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Umatilla at Pendleton	550	May 17	May 17
SF Walla Walla near Milton	200	June 9	June 9
	105	August-September	105 cfs

UPPER JOHN DAY			
<i>FORECAST POINT</i>	<i>LOW FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
John Day at Service Creek	225	August 1	Avg Value = 212 cfs

UPPER DESCHUTES AND CROOKED BASINS			
<i>FORECAST POINT</i>	<i>FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Crane Prairie net Inflow	365	Peak	
	226	October 31	
	Peak	May 29	
Crooked River	100	June 5	June 1
Deschutes below Bend (will not receded below 1500 before Oct. 1)	1500		July 1
Little Deschutes near LaPine	400	June 16	June 7
	200	June 20	July 8
Squaw Cr near Sisters	100	August 18	August 16
Tumalo Ck near Bend	235	June 27	June 23
	207	June 30	June 25
	150	July 10	July 5
	70	August 12	August 7

HOOD, MILE CREEKS, AND LOWER DESCHUTES BASINS

<i>FORECAST POINT</i>	<i>FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Clear Branch Inflow *Average cfs forecast to flow for this two-week period. ** Average cfs for period of record	44*	July 15-31	39**
White below Tygh Valley	200	July 6	July 3
	150	August 1	Avg Value = 145 cfs

ROGUE AND UMPQUA BASINS

<i>FORECAST POINT</i>	<i>FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Cow Ck near Azalea	20	July 8	July 4
	10	August 19	August 19
Little Butte Creek SF	100	May 22	May 15
South Umpqua near Brockway	90	September 1	August 28
South Umpqua at Tiller	140	July 18	July 12
	90	August 4	July 28
	60	August 28	August 24

LAKE COUNTY AND GOOSE LAKE BASINS

<i>FORECAST POINT</i>	<i>FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Deep Creek above Adel	100	June 26	June 21
Honey Creek near Plush	100	May 25	May 15
	50	June 11	May 30
Twentymile near Adel	50	June 5	June 2
	10	July 7	July 3

HARNEY BASIN

<i>FORECAST POINT</i>	<i>FLOW CFS</i>	<i>FORECAST DATE OF LOW FLOW</i>	<i>AVERAGE DATE OF LOW FLOW</i>
Silvies near Burns	400	May 14	May 5
	200	June 2	May 21
	100	June 17	June 9
	50	June 27	June 23
Donner und Blitzen	200	June 20	June 15
	100	July 10	July 5

SUMMARY OF SNOW COURSE DATA April 2006

LOST - Data current as of:04/06/06 15:30:29

SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 71-00
Oregon						
ALTHOUSE #2	4530	3/28/06	26	10.4	1.1	4.1
ALTHOUSE #3	5000	3/28/06	55	18.4	--	12.8
ANEROID LAKE SNOTEL	7410	4/01/06	100	29.9	14.3	25.7
ANNIE SPRING REV	6120	3/28/06	159	68.7	27.2	42.9
ANNIE SPRING SNOTEL	6010	4/01/06	155	63.1	26.9	--
ANTHONY LAKE	7130	3/29/06	82	30.5	13.6	26.3
ARBUCKLE MTN SNOTEL	5770	4/01/06	61	23.6	9.4	22.3
BALD MTN,OR AM	6720	3/30/06	93	33.5	16.3	25.7
BEAR FLAT MEADOW AM	5900	4/01/06	---	14.7E	6.3	11.2
BEAVER DAM CREEK	5100	3/31/06	54	20.6	2.9	10.0
BEAVER RES. SNOTEL	5150	4/01/06	35	15.1	6.0	9.2
BIG RED MTN SNOTEL	6050	4/01/06	111	37.9	23.0	28.4
BIG SHEEP AM	6200	3/30/06	114	36.5	19.8	26.6
BIGELOW CAMP SNOTEL	5120	4/01/06	58	22.2	4.2	11.6
BILLIE CK DVD SNOTEL	5300	4/01/06	87	35.2	4.6	21.5
BLAZED ALDER SNOTEL	3650	4/01/06	89	40.0	4.3	32.1
BLUE MTN SPGS SNOTEL	5900	4/01/06	65	25.6	7.6	17.3
BOULDER CREEK AM	5690	3/30/06	27	10.3	1.4	1.1
BOURNE SNOTEL	5850	4/01/06	---	18.3	4.7	17.9
BOWMAN SPRNGS SNOTEL	4530	4/01/06	---	8.0	.4	8.6
BUCK PASTURE AM	5700	3/30/06	8	2.9	1.0	1.2
BUCKSKIN LAKE AM	5200	3/30/06	0	.0	.0	--
BULLY CREEK AM	5300	3/30/06	14	5.9	.0	.5
CALIBAN ALT	6500	3/28/06	120	44.6	23.4	30.9
CALL MEADOWS AM	5340	3/30/06	27	10.8	3.5	2.1
CAMAS CREEK #3	5850	3/29/06	63	19.9	8.5	13.1
CASCADE SUM. SNOTEL	5100	4/01/06	106	43.5	16.4	31.3
CHEMULT ALT SNOTEL	4850	4/01/06	41	16.2	.3	5.3
CHILOQUIN	4190	3/30/06	0	.0	--	--
CLACKAMAS LK. SNOTEL	3400	4/01/06	44	15.2	1.1	11.3
CLEAR LAKE SNOTEL	3810	4/01/06	51	17.9	1.3	14.1
COLD SPRINGS SNOTEL	5940	4/01/06	109	49.3	8.0	28.2
COUNTY LINE SNOTEL	4800	4/01/06	---	.5	.1	2.2
COX FLAT AM	5750	4/01/06	---	4.5E	.0	4.3
CRAZYMEN FLAT AM	6100	4/01/06	---	16.5E	4.2	9.1
CRAZYMEN FLAT SNOTEL	6180	4/01/06	80	28.4	11.5	--
CRYSTAL (BROWNS RCH)	4200	3/30/06	19	8.6	--	2.6
DALY LAKE SNOTEL	3690	4/01/06	42	17.8	2.8	12.7
DEADHORSE GRADE	3700	3/30/06	21	8.4	2.2	9.0
DEADWOOD JUNCTION	4600	3/31/06	17	7.4	.6	4.8
DERR	5670	3/31/06	45	17.0	3.4	8.5
DERR SNOTEL	5850	4/01/06	63	25.2	10.7	16.4
DIAMOND LAKE SNOTEL	5320	4/01/06	54	22.2	.6	14.8
DOOLEY MOUNTAIN	5430	4/03/06	42	17.2	6.2	7.1
EAST EAGLE	4400	3/26/06	79	28.0	13.5	23.7
EILERTSON SNOTEL	5510	4/01/06	---	21.0	3.4	9.6
ELDORADO PASS	4600	4/03/06	8	3.6	.0	.9
EMIGRANT SPGS SNOTEL	3800	4/01/06	---	1.4	.0	3.3

SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 71-00
Oregon (continued)						
FINLEY CORRALS	AM 6000	4/01/06	---	20.4E	3.9	14.6
FISH CREEK	SNOTEL 7660	4/01/06	104	41.2	20.8	30.5
FISH LK.	SNOTEL 4670	4/01/06	---	16.7	1.4	8.4
FLAG PRAIRIE	AM 4750	3/30/06	24	10.1	.0	2.0
FT. KLAMATH	4150	3/30/06	16	6.2	--	1.1
FOURMILE LAKE	SNOTEL 6000	4/01/06	108	39.8	12.7	30.7
GERBER	4850	3/31/06	0	.0	.0	.3
GERBER RES	SNOTEL 4850	4/01/06	0	.0	.0	--
GOLD CENTER	SNOTEL 5410	4/01/06	38	16.9	.2	8.3
GOVERNMENT CORRALS	7450	4/04/06	45	14.8	14.5	16.3
GRAYBACK PEAK	6000	3/29/06	91	32.4	13.1	21.1
GREENPOINT	SNOTEL 3310	4/01/06	---	26.9	2.3	17.5
HARRIMAN LODGE	4200	3/30/06	17	7.0	--	1.0
HART MOUNTAIN	AM 6350	4/01/06	---	1.0E	.0	.9
HIGH PRAIRIE	6100	3/29/06	148	62.8	16.7	47.6
HIGH RIDGE	SNOTEL 4920	4/01/06	72	27.5	7.3	23.1
HOGG PASS	SNOTEL 4760	4/01/06	104	39.5	8.8	39.0
HOLLAND MDWS	SNOTEL 4900	4/01/06	67	25.2	4.1	23.1
HOWARD PRAIRIE	4500	3/31/06	32	12.4	2.5	5.6
HUNGRY FLAT	4400	4/03/06	7	2.8	.4	1.4
IRISH-TAYLOR	SNOTEL 5500	4/01/06	126	45.6	24.7	36.6
JUMP OFF JOE	SNOTEL 3520	4/01/06	38	15.9	2.1	10.3
KING MTN #1	4500	3/31/06	35	12.3	4.1	5.2
KING MTN #2	SNOTEL 4340	4/01/06	---	8.0	.9	2.9
KING MTN #3	3650	3/31/06	4	.2	.1	.6
KING MTN #4	3050	3/31/06	0	.0	.0	.0
LAKE CK R.S.	SNOTEL 5200	4/01/06	40	16.2	3.4	10.5
LITTLE ALPS	6200	3/29/06	51	16.0	8.2	13.2
LITTLE ANTONE (ALT)	5000	3/29/06	31	11.4	3.7	7.2
LITTLE MEADOW	SNOTEL 4000	4/01/06	85	35.7	7.0	25.7
LOOKOUT BUTTE	AM 5650	3/30/06	0	.0	.0	.1
LOUSE CANYON	AM 6440	3/30/06	19	6.3	1.8	5.1
LUCKY STRIKE	SNOTEL 4970	4/01/06	---	9.0	.4	9.3
MADISON BUTTE	SNOTEL 5150	4/01/06	12	6.1	.0	2.7
MARION FORKS	SNOTEL 2600	4/01/06	19	8.5	.0	10.2
MARKS CREEK	4540	3/29/06	14	5.0	.0	.9
MARY'S PEAK REV	3620	3/29/06	35	13.6	1.4	6.3
MCKENZIE	SNOTEL 4800	4/01/06	113	51.9	20.2	42.9
MEACHAM	4300	3/28/06	26	10.3	.0	6.6
MIRROR LAKE	AM 8200	3/30/06	191	61.1	37.2	68.0
MOSS SPRINGS	SNOTEL 5760	4/01/06	64	26.1	12.8	26.0
MT ASHLAND SWBK.	6400	3/28/06	117	43.5	24.2	33.4
MT HOOD	5400	3/30/06	167	73.0	19.5	62.5
MT HOOD TEST	SNOTEL 5400	4/01/06	155	63.8	17.6	59.1
MT HOWARD	SNOTEL 7910	4/01/06	64	20.5	11.5	16.5
MUD RIDGE	SNOTEL 4070	4/01/06	80	35.1	7.5	24.3
NEW CRESCENT	SNOTEL 4910	4/01/06	---	22.6	2.5	8.4
NEW DUTCHMAN #3	6400	4/03/06	158	65.8	27.3	51.9
NORTH FK RES	SNOTEL 3060	4/01/06	73	29.0	4.4	15.7
NORTH UMPQUA	4220	3/30/06	45	18.7	1.1	8.8
OCHOCO MEADOWS	5200	3/29/06	47	17.2	5.1	8.9
OCHOCO MEADOW	SNOTEL 5430	4/01/06	---	17.0	4.2	8.7
OREGON CANYON	AM 6950	3/30/06	19	6.1	1.9	4.9
PAGE MTN	4050	3/28/06	16	6.2	.0	1.2
PARK H.Q. REV	6550	3/28/06	196	92.4	35.4	61.3
PATTON MEADOWS	AM 6800	4/01/06	---	23.0E	13.3	17.5
PEAVINE RIDGE	SNOTEL 3420	4/01/06	49	21.6	1.7	13.0
PUEBLO SUMMIT	AM 6800	3/30/06	16	5.1	2.8	--

SNOW COURSE		ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 71-00
Oregon (continued)							
QUARTZ MTN	SNOTEL	5720	4/01/06	6	2.7	.0	.5
R.R. OVERPASS	SNOTEL	2680	4/01/06	0	.0	.0	.1
RED BUTTE #1		4560	3/29/06	56	20.3	3.6	10.4
RED BUTTE #2		4000	3/29/06	16	3.7	1.1	5.0
RED BUTTE #3		3500	3/29/06	12	4.9	1.4	1.1
RED BUTTE #4		3000	3/29/06	3	1.2	.9	.3
RED HILL	SNOTEL	4400	4/01/06	---	53.0	9.3	46.1
ROARING RIVER	SNOTEL	4950	4/01/06	---	42.2	10.0	28.9
ROCK SPRINGS	SNOTEL	5290	4/01/06	---	9.6	.5	2.5
SADDLE MTN	SNOTEL	3110	4/01/06	---	.7	1.0	6.0
SALT CK FALLS	SNOTEL	4220	4/01/06	57	26.0	3.7	18.4
SANTIAM JCT.	SNOTEL	3750	4/01/06	39	17.0	2.2	16.0
SCHNEIDER MDW	SNOTEL	5400	4/01/06	108	34.4	15.6	29.6
SEINE CREEK	SNOTEL	2060	4/01/06	0	.0	--	1.3
SEVENMILE MARSH	SNTL	5700	4/01/06	---	42.6	16.0	30.5
SHERMAN VALLEY	AM	6600	4/01/06	---	16.8E	10.2	12.0
SILVER BURN		3720	3/29/06	48	19.9	2.3	8.2
SILVER CREEK	SNOTEL	5740	4/01/06	53	23.6	7.3	7.8
SILVIES	SNOTEL	6990	4/01/06	48	15.4	9.4	19.3
SISKIYOU SUMMIT REV		4630	3/28/06	35	13.4	1.1	3.3
SKI BOWL ROAD		6000	3/28/06	97	35.8	17.3	26.7
SNOW MTN	SNOTEL	6220	4/01/06	47	18.9	6.6	14.0
SF BULL RUN	SNOTEL	2690	4/01/06	11	4.9	.0	--
SOUTH FORK CANAL		3500	3/25/06	0	.0	--	.5
STANDLEY	AM	7400	3/30/06	108	34.6	16.7	33.3
STARR RIDGE	SNOTEL	5250	4/01/06	25	8.8	.0	3.4
STRAWBERRY	SNOTEL	5760	4/01/06	18	7.5	.4	4.1
SUMMER RIM	SNOTEL	7100	4/01/06	82	28.7	15.6	19.0
SUMMIT LAKE	SNOTEL	5600	4/01/06	---	48.8	24.2	38.1
SYCAN FLAT	AM	5500	4/01/06	---	10.8E	7.8	3.2
TANGENT		5400	4/03/06	90	36.8	6.0	19.6
TAYLOR BUTTE	SNOTEL	5030	4/01/06	39	15.5	4.4	2.8
TAYLOR GREEN	SNOTEL	5740	4/01/06	62	24.0	12.5	21.7
THREE CK MEAD	SNOTEL	5650	4/01/06	---	27.2	7.1	19.7
TIMOTHY LAKE		3300	3/31/06	34	13.5	--	11.3
TIPTON	SNOTEL	5150	4/01/06	44	16.4	7.8	14.3
TOLLGATE		5070	3/28/06	90	35.1	9.1	26.8
TRAP CREEK		3800	3/30/06	36	15.0	1.7	7.3
TROUT CREEK	AM	7800	3/30/06	50	20.0	12.1	12.1
TV RIDGE #2	AM	7000	3/30/06	51	18.4	7.9	20.2
V LAKE	AM	6600	3/30/06	27	8.6	1.4	8.0
WEST EAGLE MEADOWS		5500	3/30/06	102	35.7	20.7	28.1
WOLF CREEK	SNOTEL	5630	4/01/06	55	20.9	7.3	16.7

SNOW COURSE		ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 71-00
California							
ADIN MOUNTAIN		6350	3/29/06	44	15.2	10.7	12.5
ADIN MTN SNOTEL		6350	4/01/06	45	14.6	10.6	13.2
BLUE LAKE RANCH		6800	3/30/06	32	11.0	5.7	10.4
CEDAR PASS		7100	3/30/06	54	18.9	--	17.6
CEDAR PASS SNOTEL		7100	4/01/06	---	19.9	18.1	19.3
CROWDER FLAT AM		5200	4/01/06	---	1.0E	.0	.4
CROWDER FLAT SNOTEL		5200	4/01/06	13	5.1	.0	--
DISMAL SWAMP SNOTEL		7000	4/01/06	---	41.5	27.1	28.9
STATE LINE	AM	5750	4/01/06	---	4.0E	.7	3.4
Idaho							
BATTLE CREEK	AM	5720	3/30/06	16	5.8	2.4	1.0
BULL BASIN	AM	5460	3/30/06	6	2.3	.9	.3
MUD FLAT	SNOTEL	5730	4/01/06	30	10.9	.8	4.4
RED CANYON	AM	6650	3/30/06	29	10.4	3.3	5.1
SILVER CITY		6400	3/29/06	62	22.4	12.4	15.8
SOUTH MTN	SNOTEL	6500	4/01/06	53	19.7	8.7	19.2
SUCCOR CREEK	AM	6100	3/30/06	32	11.5	3.3	7.8
VAUGHT RANCH	AM	5830	3/30/06	29	10.4	1.2	1.1
Nevada							
BALD MOUNTAIN	AM	6720	4/01/06	---	2.5E	.0	2.5
BEAR CREEK SNOTEL		7800	4/01/06	---	29.7	18.4	21.6
BIG BEND SNOTEL		6700	4/01/06	40	14.5	7.7	8.3
BUCKSKIN,L SNOTEL		6700	4/01/06	36	12.8	10.3	8.5
COLUMBIA BASIN	AM	6650	3/30/06	36	12.2	2.1	6.8
DISASTER PEAK SNOTEL		6500	4/01/06	18	5.4	1.7	7.4
FAWN CREEK SNOTEL		7050	4/01/06	63	19.3	15.6	18.7
FRY CANYON		6700	3/30/06	32	11.1	4.8	5.7
GOLD CREEK		6600	3/30/06	23	7.8	2.3	3.9
GRANITE PEAK SNOTEL		7800	4/01/06	81	26.9	20.1	25.1
JACK CREEK, LOWER(d)		6800	3/30/06	14	5.1	1.6	2.3
JACK CREEK, U SNOTEL		7280	4/01/06	73	24.7	14.9	19.9
LAMANCE CREEK SNOTEL		6000	4/01/06	32	13.0	6.0	10.1
LAUREL DRAW SNOTEL		6700	4/01/06	39	15.2	8.8	8.8
MERRIT MOUNTAIN	AM	7000	3/30/06	33	11.2	3.0	5.8
MIDAS	(d)	7200	3/29/06	15	5.1	.6	1.7
QUINN RIDGE	AM	6300	3/30/06	0	.0	.0	.8
SEVENTYSIX CK SNOTEL		7100	4/01/06	53	18.7	12.5	10.7
STAG MOUNTAIN	AM	7700	3/30/06	34	11.6	6.7	5.7
TAYLOR CANYON SNOTEL		6200	4/01/06	29	9.6	5.1	2.9
TOE JAM AM	AM	7700	3/29/06	54	18.4	10.5	9.4
TREMEWAN RANCH		5700	3/30/06	0	.0	1.7	.1

(d) denotes discontinued site.