PER STAGE	IMP DIA	IMP EXIT	IMPELLER PART NO. 7129 / IMPELLER PATTERN NO. 6803	THRUST CONSTANT 125 / WR² 76 LB. FT²/STAGE	PUMP SHAFT DIAM. $2\frac{11}{16}$



PERFORMANCE BASED ON MULTISTAGE TESTS PUMPING CLEAR COLD WATER SP GR 1.0

FOR 1 STAGE MULTIPLY HEAD & EFF BY 1.0

FOR 2 STAGES MULTIPLY HD & EFF BY 1.0

DATE 9-10-73

Johnston Pump Company
Glendora, California 91740
ESTABLISHED 1909

24MS MIXED-FLOW PUMP
IMPELLER — BRONZE
CLASS 'C' FIN

880 R.P.M.
BOWL — CAST IRON

CURVE SHEET NO. EC-0849

PER STAGE	IMP DIA	IMP EXIT	IMPELLER PART NO. 7129 IMPELLER PATTERN NO. 6803	THRUST CONSTANT 125 WR² 76 LB. FT²/STAGE	PUMP SHAFT DIAM. 2 11/16"



PERFORMANCE BASED ON MULTISTAGE TESTS
PUMPING CLEAR COLD WATER SP. GR. 1.0
FOR 1 STAGE MULTIPLY HEAD & EFF. BY 1.0
FOR 2 STAGES MULTIPLY HD. & EFF. BY 1.0
DATE 1-8-74

Johnston Pump Company
Glendora, California 91740
ESTABLISHED 1909

24MS MIXED-FLOW PUMP 705 RPM
IMPELLER BRONZE BOWL — CAST IRON
CLASS 'C' FIN.
CURVE SHEET NO. EC-1008

PER STAGE	IMP. DIA.	IMP. EXIT	IMPELLER PART NO. 7129 IMPELLER PATTERN NO. 6803	THRUST CONSTANT 125 WR² 76 LB. FT²/STAGE	PUMP SHAFT DIAM. 2 11/16"



PERFORMANCE BASED ON MULTISTAGE TESTS PUMPING CLEAR COLD WATER SP. GR. 1.0

FOR 1 STAGE MULTIPLY HEAD & EFF. BY 1.0

FOR 2 STAGES MULTIPLY HD. & EFF. BY 1.0

DATE 1-8-74

U.S. GALLONS PER MINUTE

Johnston Pump Company
Glendora, California 91740
ESTABLISHED 1909

24MS MIXED-FLOW PUMP

590 R.P.M.

IMPELLER — BRONZE
BOWL — CAST IRON
CLASS 'C' FIN.

CURVE SHEET NO. EC-1014

JP-1007