

GENERAL OUTLOOK

June 1, 2005

SUMMARY

Although the month of June is starting out cool and wet, snowpacks were nearly melted out by June 1 at SNOTEL stations throughout Oregon. The 2005 snowpack failed to approach normal conditions throughout the winter, with a few exceptions in the southeastern portion of the state (Owyhee, Malheur, Lake County and Goose Lake basins). Mt. Hood Test Site melted out May 31st a full 45 days earlier than normal.

Precipitation for May was well above normal statewide for the first time in several months. Water year precipitation still falls far short of normal with the aforementioned exceptions in southeastern Oregon. Since the majority of the precipitation in Oregon normally falls during the months of November through March, rainfall totals for the year are not anticipated to recover significantly in the months ahead.

Spring rainfall has greatly improved storage at reservoirs throughout the state. Streamflows responded to the rainy conditions in May, rising in many areas to above normal conditions.

The Oregon Drought Council met June 7 to review drought conditions throughout the state. No new drought applications have been received. Counties wishing to rescind their drought declarations will need to readdress the council. The Drought Council will continue to monitor water availability throughout the summer as limited water supplies are still anticipated in several stream systems.

SNOWPACK

Snow was completely absent from all but a handful of higher elevation SNOTEL sites in Oregon by June 1. The melt out is a month or more ahead of schedule this year, due to the slim snowpacks that formed in winter 2005.

PRECIPITATION

May was exceptionally wet this year, bringing 1.5 to 3 times the normal monthly precipitation to the state. As has been the pattern for most of the winter, the storm tracks were heaviest once again in the southeastern portion of the state. Precipitation totals for the water year are well below normal in all but 3 basins in Oregon. In the Owyhee/Malheur, Lake County/Goose Lake, and Harney basins, precipitation for the water year is near normal.

RESERVOIRS

Reservoirs throughout the state rebounded during April and May with the onset of spring rains. This enabled many reservoirs to reach average June 1 levels. Reservoirs in the Burnt, Powder, Pine, Imnaha, Grand Ronde, Umatilla, Walla Walla, Rock, Lower John Day, Willow, and 2 out of 3 irrigation reservoirs in the Klamath basin are not expected to refill this season. At the end of May 2005, 27 major irrigation reservoirs were storing 2,335,300 acre feet of water or 90 percent of average and 72 percent of capacity.

STREAMFLOW

| STREAM | PERIOD | PERCENT OF |
|-----------------------------|---------|------------|
| AVERAGE | | |
| Owyhee Net Inflow | Jun-Jul | 120 |
| Grande Ronde at La Grande | Jun-Sep | 72 |
| Umatilla at Pendleton | Jun-Sep | 54 |
| Deschutes at Benham Falls | Jun-Sep | 79 |
| Willamette MF nr Oakridge | Jun-Sep | 83 |
| Rogue at Raygold | Jun-Sep | 80 |
| Upper Klamath L. Net Inflow | Jun-Sep | 66 |
| Silvies nr Burns | Jun-Sep | 62 |



Some of these forecasts assume normal weather conditions will occur from now to the end of the forecast period.

The forecasts in this bulletin are a result of coordinated activity between the Natural Resources Conservation Service and the National Weather Service as an effort to provide the best possible service to water users.

This report contains data furnished by the Oregon Department of Water Resources, U.S. Geological Survey, NOAA National Weather Service and other cooperators.

OWYHEE AND MALHEUR BASINS

June 1, 2005



Water Supply Outlook

Snowpack conditions in the Owyhee and Malheur basins this winter fell below normal but spring rains have been well above normal. Winter and spring storms that traced California, Nevada, southern Idaho, and Utah, left slightly better water supply conditions in the headwaters of the Owyhee than the Malheur. Both basins received above average spring precipitation. Precipitation for the month of May was 2.5 times the average in the Owyhee and Malheur. Water year precipitation as of June 1 was 109 percent of average, an improvement of over 15 percentage points from May 1.

Spring streamflows have been spiking and receding with rain storms in the Malheur. Summer streamflow forecasts for the Malheur reflect the ephemeral nature of the precipitation this past season. Summer streamflow forecasts for the Malheur near Drewsey (June through September) are 53% of average. As a result of winter snow and spring rainfall conditions, the larger Owyhee basin is currently experiencing sustained, above normal streamflows. The summer streamflow forecast for the Owyhee reservoir inflow (June through September) is 119 percent of average. Water users in the Malheur basin can expect shortages this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Ontario - (541) 889-7637

OWYHEE AND MALHEUR BASINS as of June 1, 2005

| OWYHEE AND MALHEUR BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|--|-----------------|--|-----------------|---|-----|-----------------|-----------------|------------------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | | | 30-Yr Avg. (1000AF) |
| | | 90% (1000AF) | 70% (1000AF) | Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.) | | 30% (1000AF) | 10% (1000AF) | |
| MALHEUR near Drewsey | JUN-JUL | 4.1 | 5.7 | 6.9 | 60 | 8.2 | 10.4 | 11.5 |
| | JUN-SEP | 4.4 | 6.0 | 7.3 | 53 | 8.7 | 11.0 | 13.7 |
| NF MALHEUR at Beulah | JUN-JUL | 7.4 | 8.8 | 9.8 | 64 | 10.9 | 12.6 | 15.3 |
| | JUN-SEP | 12.6 | 14.4 | 15.7 | 75 | 17.1 | 19.2 | 21 |
| OWYHEE RESV INFLOW (2) | JUN-JUL | 57 | 80 | 98 | 120 | 118 | 150 | 82 |
| | JUN-SEP | 108 | 123 | 133 | 119 | 144 | 160 | 112 |
| OWYHEE near Rome | JUN-JUL | 72 | 88 | 99 | 139 | 111 | 130 | 71 |
| SUCCOR CK nr Jordan Valley | JUN-JUL | 2.65 | 2.98 | 3.20 | 133 | 3.42 | 3.75 | 2.40 |

| OWYHEE AND MALHEUR BASINS Reservoir Storage (1000 AF) - End of May | | | | | OWYHEE AND MALHEUR BASINS Watershed Snowpack Analysis - June 1, 2005 | | | |
|---|-----------------|------------------------|-----------|-------|---|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| BEULAH RES | 60.0 | 58.8 | 46.6 | 46.9 | Owyhee River | 7 | 0 | 0 |
| BULLY CREEK | 30.0 | 30.4 | 25.6 | 23.4 | Malheur | 3 | 0 | 0 |
| OWYHEE | 715.0 | 639.5 | 380.2 | 614.6 | Jordan Creek | 1 | 0 | 0 |
| WARMSPRINGS | 191.0 | 110.1 | 87.5 | 145.9 | Bully Creek | 0 | 0 | 0 |



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
 (2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
 Natural Resources Conservation Service Office
 Ontario - (541) 889-7637

BURNT, POWDER, GRAND RONDE, AND IMNAHA BASINS

June 1, 2005



Water Supply Outlook

The month of May brought well above normal precipitation to the Burnt, Power, Pine, Grande Ronde and Imnaha basins, following on the heels of a wetter than normal March and April. Precipitation since the beginning of the water year is 87 percent of average, an 11 point increase since last month. The snowpack however was significantly below average all winter and late season streamflows will continue to reflect this deficit.

The spring rains have improved reservoir storage in the basin however total storage is only 74 percent of normal. The summer streamflow forecast for the Grande Ronde at LaGrande (June through September) is 72 percent of average. Water users throughout the basin can expect shortages this season.

| BURN'T, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | | |
|---|-----------------|--|-----------------|---|----|-----------------|-----------------|------------------------|--|
| Forecast Point | Forecast Period | <<----- Drier ----- Future Conditions ----- Wetter ----->> | | | | 30% (1000AF) | 10% (1000AF) | 30-Yr Avg. (1000AF) | |
| | | 90% (1000AF) | 70% (1000AF) | Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.) | | | | | |
| ANTHONY CK bl NF nr North Powder | JUN-JUL | 2.23 | 3.94 | 5.10 | 66 | 6.26 | 8.00 | 7.70 | |
| BEAR CREEK near Wallowa | JUN-SEP | 11.5 | 17.2 | 21 | 60 | 25 | 30 | 35 | |
| BIG CK bl Burn Ck nr Medical Spgs | JUN-JUL | 0.50 | 0.80 | 1.00 | 78 | 1.20 | 1.50 | 1.28 | |
| BURNT near Hereford (2) | JUN-JUL | 1.24 | 2.05 | 2.60 | 51 | 3.70 | 5.20 | 5.10 | |
| | JUN-SEP | 2.01 | 2.90 | 3.50 | 50 | 4.70 | 6.50 | 7.00 | |
| CATHERINE CREEK near Union | JUN-SEP | 8.0 | 12.2 | 15.0 | 52 | 17.8 | 22 | 29 | |
| DEER CK nr Sumpster | JUN-JUL | 0.69 | 0.99 | 1.20 | 32 | 1.85 | 2.81 | 3.80 | |
| EAGLE CREEK abv Skull Creek | JUN-JUL | 23 | 37 | 46 | 56 | 55 | 69 | 82 | |
| | JUN-SEP | 32 | 46 | 56 | 58 | 66 | 80 | 97 | |
| GRANDE RONDE at La Grande | JUN-JUL | 9.9 | 18.3 | 24 | 67 | 30 | 38 | 36 | |
| | JUN-SEP | 16.5 | 25 | 31 | 72 | 37 | 46 | 43 | |
| GRANDE RONDE at Troy (1) | JUN-JUL | 129 | 219 | 260 | 55 | 301 | 390 | 470 | |
| | JUN-SEP | 178 | 286 | 335 | 59 | 384 | 492 | 565 | |
| HURRICANE CREEK near Joseph | JUN-SEP | 21 | 24 | 25 | 81 | 26 | 28 | 31 | |
| IMNAHA at Imnaha | JUN-SEP | 56 | 76 | 89 | 63 | 102 | 122 | 142 | |
| LOSTINE near Lostine | JUN-SEP | 43 | 50 | 55 | 66 | 60 | 67 | 83 | |
| PINE CREEK near Oxbow | JUN-JUL | 7.0 | 18.0 | 25 | 46 | 32 | 43 | 55 | |
| POWDER near Sumpster (2) | JUN-JUL | 5.4 | 7.3 | 8.7 | 49 | 11.5 | 15.4 | 17.7 | |
| | JUN-SEP | 5.3 | 7.7 | 9.3 | 51 | 12.4 | 17.4 | 18.4 | |
| EF WALLOWA near Joseph | JUN-SEP | 5.61 | 6.38 | 6.90 | 79 | 7.40 | 8.20 | 8.70 | |
| WALLOWA at Joseph (2) | JUN-JUL | 29 | 33 | 36 | 82 | 39 | 43 | 44 | |
| WOLF CK RESERVOIR inflow | JUN-JUL | 0.71 | 1.06 | 1.30 | 68 | 1.54 | 1.89 | 1.92 | |



| BURN'T, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS Reservoir Storage (1000 AF) - End of May | | | | | BURN'T, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS Watershed Snowpack Analysis - June 1, 2005 | | | |
|--|-----------------|------------------------|-----------|------|--|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| PHILLIPS LAKE | 73.5 | 40.0 | 34.2 | 65.3 | Grande Ronde ab LaGrande | 4 | 0 | 0 |
| THIEF VALLEY | 17.4 | 13.5 | 13.7 | 17.0 | Powder River | 5 | 0 | 0 |
| UNITY | 25.2 | 24.4 | 21.5 | 23.1 | Wallowa, Imnaha, Catherine | 5 | 60 | 51 |
| WALLOWA LAKE | | NO REPORT | | | Burnt River | 3 | 0 | 0 |
| WOLF CREEK | 10.4 | 11.1 | --- | 9.8 | | | | |

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

UMATILLA, WALLA WALLA, WILLOW ROCK, AND LOWER JOHN DAY BASINS

June 1, 2005



Water Supply Outlook

The snow was gone from all the SNOTEL sites in the basin by June 1. Melt out was about 1 month earlier than normal this year. May precipitation was well above normal but did not completely offset the extremely dry preceding months. Precipitation since the beginning of the water year is 69 percent of average, 14 point increase from last month.

The May rainfall boosted streamflows in the basin and improved reservoir storage. Reservoir conditions are still far from satisfactory at only 63 percent of normal for the end of May measurement. Summer streamflow forecasts range from 41 percent of average for McKay creek near Pilot Rock (June through September) to 73 percent of average for the South Fork Walla Walla near Milton Freewater (June through September). Water users throughout the basin can expect shortages this season.

UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS as of June 1, 2005

| UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|--|-----------------|--|-----------------|---|----|-----------------|-----------------|------------------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | | | 30-Yr Avg. (1000AF) |
| | | 90% (1000AF) | 70% (1000AF) | Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.) | | 30% (1000AF) | 10% (1000AF) | |
| BUTTER CK nr Pine City | MAY-JUL | 1.01 | 2.19 | 3.00 | 64 | 3.80 | 5.00 | 4.70 |
| MCKAY near Pilot Rock | JUN-SEP | 0.38 | 0.69 | 1.30 | 41 | 2.80 | 5.00 | 3.20 |
| RHEA CREEK near Heppner | MAY-JUL | 1.50 | 1.90 | 2.20 | 65 | 2.50 | 2.90 | 3.40 |
| ROCK CREEK above Whyte | MAY-JUL | 0.99 | 1.63 | 3.20 | 71 | 5.40 | 8.70 | 4.50 |
| UMATILLA near Gibbon | JUN-JUL | 3.8 | 6.2 | 7.9 | 55 | 10.9 | 15.4 | 14.4 |
| | JUN-SEP | 8.2 | 11.3 | 13.4 | 67 | 16.5 | 21 | 20 |
| UMATILLA at Pendleton | JUN-JUL | 4.8 | 8.0 | 10.2 | 44 | 15.2 | 23 | 23 |
| | JUN-SEP | 8.7 | 12.9 | 15.7 | 54 | 21 | 28 | 29 |
| SF WALLA WALLA near Milton-Freewater | JUN-JUL | 9.0 | 10.7 | 11.9 | 62 | 13.8 | 16.6 | 19.2 |
| | JUN-SEP | 19.1 | 22 | 24 | 73 | 27 | 30 | 33 |
| WILLOW CREEK LAKE INFLOW | JUN-JUL | 0.20 | 0.50 | 0.70 | 60 | 1.04 | 1.54 | 1.16 |

| UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS | | | | | UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS | | | |
|---|-----------------|------------------------|-----------|------|---|----------------------|-------------------|---------|
| Reservoir Storage (1000 AF) - End of May | | | | | Watershed Snowpack Analysis - June 1, 2005 | | | |
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| COLD SPRINGS | 50.0 | 19.3 | 32.6 | 39.2 | Walla Walla River | 2 | 0 | 0 |
| MCKAY | 73.8 | 44.4 | 65.7 | 62.0 | Umatilla River | 4 | 0 | 0 |
| WILLOW CREEK | 1.8 | 1.9 | 2.2 | --- | McKay Creek | 2 | 0 | 0 |



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

**For more information contact your local
 Natural Resources Conservation Service Office
 Pendleton - (541) 278-8049; Heppner - (541) 676-5021; Condon - (541) 384-2671**

UPPER JOHN DAY BASIN

June 1, 2005



Water Supply Outlook

There was no snow remaining at any SNOTEL sites on June 1 in the Upper John Day basin. Meltout came nearly a month earlier this year. May precipitation was well above normal but did not offset the extremely dry preceding months. Precipitation since the beginning of the water year is 86 percent of normal.

The June through September streamflow for the North Fork John Day at Monument is forecast to be 51 percent of average. Camas Creek near Ukiah is forecast to be 60 percent of average for the May through September period. Water users throughout the Upper John Day can expect shortages this season.

For more information contact your local
 Natural Resources Conservation Service Office
 John Day - (541) 575-0135

| UPPER JOHN DAY BASIN Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|---|-----------------|--|-----------------|---------------------------------|----------|------------------------|-----------------|-----------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30-Yr Avg. (1000AF) | | |
| | | ===== | | Chance Of Exceeding * | | | ===== | |
| | | 90% (1000AF) | 70% (1000AF) | 50% (Most Probable) (1000AF) | (% AVG.) | | 30% (1000AF) | 10% (1000AF) |
| CAMAS CREEK nr Ukiah | MAY-JUL | 3.4 | 7.8 | 10.8 | 59 | 13.7 | 17.7 | 18.4 |
| | MAY-SEP | 4.0 | 8.5 | 11.5 | 60 | 14.6 | 18.6 | 19.2 |
| MF JOHN DAY at Ritter | JUN-JUL | 8.4 | 12.3 | 15.0 | 52 | 20 | 28 | 29 |
| | JUN-SEP | 10.9 | 15.4 | 18.4 | 54 | 24 | 32 | 34 |
| NF JOHN DAY at Monument | JUN-JUL | 38 | 56 | 69 | 51 | 94 | 130 | 136 |
| | JUN-SEP | 46 | 66 | 79 | 51 | 105 | 144 | 154 |
| MOUNTAIN CREEK near Mitchell | MAY-JUL | 0.33 | 0.91 | 1.30 | 48 | 1.69 | 2.29 | 2.70 |
| STRAWBERRY CREEK nr Prairie City | MAY-JUL | 3.50 | 4.50 | 5.20 | 79 | 5.90 | 6.90 | 6.60 |
| | MAY-SEP | 4.00 | 5.10 | 5.80 | 80 | 6.50 | 7.60 | 7.30 |



| UPPER JOHN DAY BASIN Reservoir Storage (1000 AF) - End of May | | | | | UPPER JOHN DAY BASIN Watershed Snowpack Analysis - June 1, 2005 | | | |
|--|-----------------|------------------------|-----------|-----|--|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| | | | | | John Day, North Fork | 6 | 0 | 0 |
| | | | | | John Day above Dayville | 4 | 0 | 0 |

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

UPPER DESCHUTES AND CROOKED BASINS

June 1, 2005



Water Supply Outlook

Snow was remaining at only 2 of the higher elevation SNOTEL sites in the Upper Deschutes and Crooked river basins on June 1. The snow melted out from the other sites nearly a month earlier than normal this year. May precipitation was 185 percent of average. Precipitation since the beginning of the water year has been 73 percent of normal despite a wet April and May.

Streamflows increased during May as a result of the stormy weather. Reservoir storage improved in May to 96% of average, a slight increase from last month. The Ochoco reservoir inflow for June through September is forecast to be 52 percent of average. Prineville reservoir inflow is forecast to be 48 percent of normal for the June through September period. Water users in the Upper Deschutes and Crooked river basins can expect shortages this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Redmond (541) 923-4358

| UPPER DESCHUTES AND CROOKED BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | | | |
|---|-----------------|--|------|--------------|----|------------------------|--|------|---------------------------|--|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30-Yr Avg. (1000AF) | | | | |
| | | 90% (1000AF) | | 70% (1000AF) | | | Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.) | | 30% (1000AF) 10% (1000AF) | |
| | | | | | | | | | | |
| BEAVER CREEK near Paulina | JUN-JUL | 0.17 | 0.60 | 0.90 | 46 | 1.20 | 1.62 | 1.95 | | |
| | JUN-SEP | 0.38 | 0.81 | 1.10 | 52 | 1.39 | 1.87 | 2.10 | | |
| CRANE PRAIRIE RESERVOIR INFLOW | JUN-JUL | 16.1 | 19.0 | 21 | 62 | 23 | 26 | 34 | | |
| | JUN-SEP | 33 | 38 | 42 | 62 | 46 | 51 | 68 | | |
| CRESCENT CREEK near Crescent | JUN-JUL | 0.91 | 1.20 | 1.40 | 18 | 2.54 | 4.23 | 8.00 | | |
| | JUN-SEP | 1.8 | 2.5 | 3.0 | 26 | 4.8 | 7.4 | 11.7 | | |
| DESCHUTES below Bend (2) | AUG-SEP | 95 | 116 | 128 | 77 | 146 | 173 | 168 | | |
| DESCHUTES at Benham Falls | JUN-JUL | 127 | 133 | 137 | 77 | 141 | 147 | 177 | | |
| | JUN-SEP | 260 | 270 | 280 | 79 | 290 | 300 | 355 | | |
| DESCHUTES below Snow Creek | JUN-JUL | 6.1 | 8.5 | 10.1 | 52 | 11.7 | 14.1 | 19.5 | | |
| | JUN-SEP | 11.3 | 17.7 | 22 | 49 | 26 | 33 | 45 | | |
| LITTLE DESCHUTES near La Pine | JUN-JUL | 1.8 | 5.9 | 8.7 | 34 | 11.5 | 15.6 | 26 | | |
| | JUN-SEP | 0.4 | 5.7 | 9.3 | 27 | 12.9 | 18.2 | 35 | | |
| NF CROOKED blw Lookout Ck | JUN-JUL | 0.31 | 0.48 | 0.60 | 76 | 0.73 | 0.89 | 0.79 | | |
| OCHOCO RESERVOIR INFLOW | JUN-JUL | 0.44 | 0.77 | 1.30 | 45 | 2.50 | 4.20 | 2.90 | | |
| | JUN-SEP | 0.46 | 0.78 | 1.50 | 52 | 2.90 | 4.90 | 2.90 | | |
| PRINEVILLE RESERVOIR INFLOW | JUN-JUL | 1.47 | 2.61 | 4.60 | 50 | 8.50 | 14.60 | 9.20 | | |
| | JUN-SEP | 1.5 | 2.6 | 4.8 | 48 | 9.4 | 15.9 | 10.1 | | |
| SQUAW CREEK near Sisters | JUN-JUL | 10.1 | 12.3 | 13.8 | 58 | 15.3 | 17.3 | 24 | | |
| | JUN-SEP | 17.0 | 20 | 22 | 61 | 24 | 27 | 36 | | |
| TUMALO CREEK near Bend | JUN-JUL | 7.1 | 9.9 | 11.8 | 56 | 13.7 | 16.5 | 21 | | |
| | JUN-SEP | 10.9 | 14.7 | 17.3 | 58 | 20 | 23 | 30 | | |
| WICKIUP RESERVOIR INFLOW | JUN-JUL | 77 | 81 | 83 | 85 | 85 | 89 | 98 | | |
| | JUN-SEP | 168 | 175 | 180 | 86 | 185 | 192 | 210 | | |

| UPPER DESCHUTES AND CROOKED BASINS Reservoir Storage (1000 AF) - End of May | | | | | UPPER DESCHUTES AND CROOKED BASINS Watershed Snowpack Analysis - June 1, 2005 | | | |
|--|-----------------|------------------------|-----------|-------|--|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| CRANE PRAIRIE | 55.3 | 39.2 | 40.4 | 42.5 | Crooked, Ochoco | 3 | 0 | 0 |
| CRESCENT LAKE | 86.9 | 35.7 | 41.3 | 58.9 | Deschutes above Wickiup | 3 | 18 | 19 |
| OCHOCO | 47.5 | 41.2 | 42.9 | 35.9 | Little Deschutes | 4 | 39 | 43 |
| PRINEVILLE | 153.0 | 148.4 | 149.5 | 142.2 | Tumalo and Squaw Creeks | 1 | 0 | 0 |
| WICKIUP | 200.0 | 165.1 | 139.9 | 166.6 | | | | |



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

**For more information contact your local
Natural Resources Conservation Service Office
Redmond (541) 923-4358**

HOOD, MILE CREEKS, AND LOWER DESCHUTES BASINS

June 1, 2005



Water Supply Outlook

The snow was melted out from all of the Hood River, Miles Creeks and Lower Deschutes SNOTEL sites by June 1 this year. Even the SNOTEL site at Mt. Hood, which normally has snow until mid July, was melted out by June 1. Precipitation for May was well above average, for the first time since October. Since the beginning of the water year, precipitation in the basin has been 66 percent of average, the lowest in the state.

The streamflow forecast for the Hood River at Tucker Bridge is 68 percent of average for the period June through September. The June through September streamflow forecast for the White River below Tygh valley is 57 percent of average. Water users in the Hood River, Mile Creeks and Lower Deschutes basins can expect shortages this season.

For more information contact your local
 Natural Resources Conservation Service Office
 The Dalles - (541) 296-6178

HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS as of June 1, 2005

| HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|---|-----------------|--|-----------------|---|----|-----------------|-----------------|------------------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30% (1000AF) | 10% (1000AF) | 30-Yr Avg. (1000AF) |
| | | 90% (1000AF) | 70% (1000AF) | Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.) | | | | |
| HOOD at Tucker Bridge | JUN-JUL | 34 | 45 | 53 | 65 | 61 | 72 | 82 |
| | JUN-SEP | 62 | 76 | 85 | 68 | 94 | 108 | 125 |
| WF HOOD near Dee | JUN-JUL | 15.0 | 22 | 26 | 65 | 30 | 37 | 40 |
| | JUN-SEP | 29 | 36 | 41 | 68 | 46 | 53 | 60 |
| WHITE below Tygh Valley | JUN-JUL | 5.1 | 11.6 | 16.0 | 47 | 20 | 27 | 34 |
| | JUN-SEP | 16.7 | 23 | 28 | 57 | 32 | 39 | 49 |

| HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS Reservoir Storage (1000 AF) - End of May | | | | | HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS Watershed Snowpack Analysis - June 1, 2005 | | | |
|--|-----------------|------------------------|-----------|-----|--|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| CLEAR LAKE (WASCO) | 11.9 | 0.2 | 3.0 | 5.9 | Hood River | 6 | 0 | 0 |
| | | | | | Mile Creeks | 0 | 0 | 0 |
| | | | | | White River | 3 | 0 | 0 |



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

For more information contact your local
Natural Resources Conservation Service Office
The Dalles - (541) 296-6178

LOWER COLUMBIA BASIN

June 1, 2005



Water Supply Outlook

There was an error in reporting Columbia basin snowpack above The Dalles in last month's Water Supply Outlook Report. The reported value was 67 percent of average. This value is incorrect. The corrected value is 58 percent of average for May 1 snow water equivalent as measured at SNOTEL sites and snow courses in the Columbia basin above The Dalles. Apologies are extended to all for this error.

Only a handful of SNOTEL sites in the Columbia basin were reporting snowpack on June 1. As of June 1, the Columbia basin snowpack was 22 percent of average. Precipitation since the beginning of the water year has been 68 percent of average. The June through September streamflow forecast for the Sandy river at Marmot is forecast to be 72 percent of average. The Columbia River at The Dalles is forecast to be 68 percent of average for the June-September period. Water users in the Lower Columbia can expect shortages this season.

For more information contact your local
Natural Resources Conservation Service Office
Oregon City - (503) 656-3499

```

=====
                                LOWER COLUMBIA BASIN
                                Streamflow Forecasts - June 1, 2005
=====
Forecast Point                   Forecast Period
<<===== Drier ===== Future Conditions ===== Wetter =====>>
=====
                                90%      70%      Chance Of Exceeding *
                                (1000AF) (1000AF) (1000AF) (% AVG.)
=====
COLUMBIA R. at The Dalles (2)   JUN-JUL   18834   24528   29900   66
                                JUN-SEP   27741   33524   39300   68
SANDY near Marmot              JUN-JUL    48      65      76      70
                                JUN-SEP    84     102     115     72
                                32412   37114   42920   49528
                                (1000AF) (1000AF)
                                30-Yr Avg.
                                (1000AF)
=====

```

```

=====
LOWER COLUMBIA BASIN          LOWER COLUMBIA BASIN
Reservoir Storage (1000 AF) - End of May      Watershed Snowpack Analysis - June 1, 2005
=====
Reservoir          Usable Capacity | *** Usable Storage *** | Watershed | Number of Data Sites | This Year as % of Average
                  This Year      Last Year      Avg
=====
Sandy River              5              0              0
=====



```

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

WILLAMETTE BASIN

June 1, 2005



Water Supply Outlook

Only two SNOTEL sites in the Willamette basin had snow remaining on June 1 this year. Normally, 12 sites have snow on June 1. May was wetter than normal in the Willamette basin yet precipitation since the beginning of the water year has only been 68 percent of average.

Streamflows rose in May and June with the onset of spring rainfall, filling reservoirs to average levels for this time of year. Summer streamflow forecasts reflect the wet spring conditions in the basin. The June through September streamflow forecast for the Willamette at Salem is 89 percent of average. The June through October forecast for the Middle Fork of the Willamette below North Fork is 83 percent of average. Water users in the Willamette basin may expect adequate supplies this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Eugene - (541) 465-6436; Portland - (503) 231-2270; Tangent - (541) 967-5925
 Oregon City - (503) 656-3499; Hillsboro - (503) 648-3174; McMinnville - (503) 472-1474
 Salem - (503) 399-5746; Dallas - (503) 623-5534

| WILLAMETTE BASIN Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|---|-----------------|-------------------|-----------------|--|-----------------|-----------------|----------|------|
| Forecast Point | Forecast Period | Future Conditions | | | | 30-Yr Avg. | | |
| | | 90% (1000AF) | 70% (1000AF) | 50% (Most Probable) (1000AF) (% AVG.) | 30% (1000AF) | 10% (1000AF) | (1000AF) | |
| BLUE RIVER LAKE INFLOW (1,2) | JUN-JUL | 1.5 | 10.1 | 14.0 | 85 | 17.9 | 27 | 16.4 |
| | JUN-SEP | 4.3 | 12.7 | 16.5 | 86 | 20 | 29 | 19.1 |
| CLACKAMAS at Estacada (2) | JUN-JUL | 101 | 136 | 160 | 76 | 184 | 221 | 210 |
| | JUN-SEP | 165 | 205 | 230 | 72 | 255 | 295 | 318 |
| CLACKAMAS above Three Lynx (2) | JUN-JUL | 87 | 110 | 125 | 79 | 140 | 163 | 158 |
| | JUN-SEP | 158 | 183 | 200 | 81 | 217 | 242 | 246 |
| COTTAGE GROVE LAKE INFLOW (1,2) | JUN-SEP | 3.4 | 7.0 | 8.6 | 86 | 10.2 | 13.8 | 10.0 |
| COUGAR LAKE INFLOW (1,2) | JUN-JUL | 27 | 44 | 51 | 80 | 58 | 75 | 64 |
| | JUN-SEP | 52 | 68 | 75 | 84 | 82 | 98 | 89 |
| DETROIT LAKE INFLOW (1,2) | JUN-JUL | 96 | 139 | 158 | 88 | 177 | 220 | 179 |
| | JUN-SEP | 168 | 215 | 235 | 88 | 255 | 300 | 268 |
| DORENA LAKE INFLOW (1,2) | JUN-SEP | 4.5 | 20 | 27 | 87 | 34 | 50 | 31 |
| FALL CREEK LAKE INFLOW (1,2) | JUN-JUL | 1.7 | 13.2 | 19.0 | 83 | 25 | 38 | 23 |
| | JUN-JUL | 1.7 | 13.2 | 19.0 | 83 | 25 | 38 | 23 |
| | JUN-SEP | 5.0 | 18.1 | 24 | 83 | 30 | 43 | 29 |
| FERN RIDGE LAKE INFLOW (1,2) | JUN-JUL | -7.52 | | 1.40 | 105 | 4.15 | 10.35 | 1.34 |
| FOSTER LAKE INFLOW (1,2) | JUN-JUL | 30 | 82 | 105 | 88 | 128 | 180 | 119 |
| | JUN-SEP | 54 | 110 | 135 | 87 | 160 | 218 | 156 |
| GREEN PETER LAKE INFLOW (1,2) | JUN-JUL | 18.0 | 52 | 68 | 86 | 84 | 118 | 79 |
| | JUN-SEP | 33 | 71 | 88 | 84 | 105 | 143 | 105 |
| HILLS CREEK LAKE INFLOW (1,2) | JUN-OCT | 108 | 127 | 135 | 82 | 143 | 162 | 164 |
| LITTLE NORTH SANTIAM (1) | JUN-JUL | 5.4 | 19.0 | 28 | 82 | 37 | 56 | 34 |
| | JUN-SEP | 8.9 | 29 | 38 | 86 | 47 | 67 | 44 |
| LOOKOUT POINT LAKE INFLOW (1,2) | JUN-OCT | 257 | 314 | 340 | 85 | 366 | 421 | 402 |
| McKENZIE below Trail Bridge (2) | JUN-JUL | 83 | 89 | 93 | 81 | 97 | 103 | 115 |
| | JUN-SEP | 150 | 159 | 165 | 83 | 171 | 180 | 200 |
| McKENZIE near Vida (1,2) | JUN-JUL | 225 | 280 | 305 | 85 | 330 | 385 | 360 |
| | JUN-SEP | 395 | 455 | 485 | 83 | 515 | 575 | 584 |
| MOHAWK near Springfield | JUN-JUL | 3.0 | 10.4 | 15.5 | 88 | 21 | 28 | 17.7 |
| OAK GROVE FORK above Power Intake | JUN-JUL | 30 | 36 | 40 | 80 | 44 | 50 | 50 |
| | JUN-SEP | 54 | 62 | 68 | 78 | 74 | 82 | 87 |
| NORTH SANTIAM at Mehama (1,2) | JUN-JUL | 79 | 162 | 200 | 86 | 240 | 320 | 233 |
| | JUN-SEP | 151 | 240 | 280 | 83 | 320 | 410 | 336 |
| SOUTH SANTIAM at Waterloo (2) | JUN-JUL | 35 | 84 | 117 | 90 | 150 | 199 | 130 |
| | JUN-SEP | 67 | 118 | 152 | 90 | 186 | 235 | 169 |
| SCOGGINS CREEK near Gaston (2) | JUN-JUL | 0.48 | 1.15 | 1.60 | 92 | 2.06 | 2.76 | 1.74 |
| THOMAS CREEK near Scio | JUN-JUL | 3.1 | 10.5 | 15.5 | 90 | 21 | 28 | 17.2 |
| MF WILLAMETTE below NF (1,2) | JUN-OCT | 267 | 307 | 325 | 83 | 343 | 385 | 391 |
| WILLAMETTE at Salem (1,2) | JUN-JUL | 542 | 916 | 1085 | 90 | 1254 | 1626 | 1207 |
| | JUN-SEP | 885 | 1291 | 1475 | 89 | 1659 | 2065 | 1664 |

For more information contact your local
 Natural Resources Conservation Service Office
 Eugene - (541) 465-6436; Portland - (503) 231-2270; Tangent - (541) 967-5925
 Oregon City - (503) 656-3499; Hillsboro - (503) 648-3174; McMinnville - (503) 472-1474
 Salem - (503) 399-5746; Dallas - (503) 623-5534

| WILLAMETTE BASIN Reservoir Storage (1000 AF) - End of May | | | | | WILLAMETTE BASIN Watershed Snowpack Analysis - June 1, 2005 | | | |
|--|--------------------|------------------------|--------------|-------|--|----------------------------|-------------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % ===== | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| BLUE RIVER ** | 85.5 | 78.9 | 80.0 | 78.2 | Clackamas River | 4 | 0 | 0 |
| COTTAGE GROVE ** | 29.8 | 28.5 | 28.4 | 29.9 | McKenzie River | 4 | 0 | 0 |
| COUGAR ** | 155.2 | 121.2 | 0.0 | 205.4 | Row River | 1 | 0 | 0 |
| DETROIT ** | 300.7 | 287.8 | 287.2 | 317.5 | Santiam River | 6 | 0 | 0 |
| DORENA ** | 70.5 | 64.8 | 67.9 | 71.3 | Willamette, Middle Fork | 6 | 39 | 35 |
| FALL CREEK ** | 115.5 | 108.1 | 110.8 | 107.0 | | | | |
| FERN RIDGE ** | 109.6 | 2.4 | 88.2 | 95.9 | | | | |
| FOSTER ** | 29.7 | 25.3 | 25.2 | 28.5 | | | | |
| GREEN PETER ** | 268.2 | 245.7 | 141.5 | 306.6 | | | | |
| HILLS CREEK ** | 200.2 | 189.7 | 165.1 | 232.5 | | | | |
| LOOKOUT POINT ** | 337.0 | 277.0 | 157.9 | 307.7 | | | | |
| TIMOTHY LAKE | 61.7 | 63.0 | 62.3 | 60.8 | | | | |
| HENRY HAGG LAKE | 53.0 | 53.7 | 53.8 | 52.4 | | | | |

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural flow - actual flow may be affected by upstream water management.



**For more information contact your local
Natural Resources Conservation Service Office**
Eugene - (541) 465-6436; Portland - (503) 231-2270; Tangent - (541) 967-5925
Oregon City - (503) 656-3499; Hillsboro - (503) 648-3174; McMinnville - (503) 472-1474
Salem - (503) 399-5746; Dallas - (503) 623-5534



Snowflake image courtesy of Snowflake Bentley
<http://www.snowflakebentley.com/>

ROGUE AND UMPQUA BASINS

June 1, 2005



Water Supply Outlook

Snow was missing from all but the higher elevation sites in the Rogue and Umpqua on June 1. Melt out was a couple of weeks ahead of schedule due to the dry winter. Precipitation since the beginning of the water year is 87 percent of normal. May precipitation was nearly 2.5 times the average. Streamflows rose in May and storage at irrigation reservoirs improved.

May end of month reservoir storage in the Rogue and Umpqua was 95 percent of average. Applegate Lake net inflow for the period June through September is forecast to be 92 percent of average. The Rogue River above Prospect is forecast to be 87 percent of normal for the June through September period. Water users in the Rogue and Umpqua basins may expect adequate supplies this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Roseburg - (541) 673-8316; Medford - (541) 776-4267

ROGUE AND UMPQUA BASINS as of June 1, 2005

| ROGUE AND UMPQUA BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|--|-----------------|--|-----------------|---------------------------------|----------|-----------------|-----------------|------------------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30% (1000AF) | 10% (1000AF) | 30-Yr Avg. (1000AF) |
| | | Chance Of Exceeding * | | | | | | |
| | | 90% (1000AF) | 70% (1000AF) | 50% (Most Probable) (1000AF) | (% AVG.) | | | |
| APPLEGATE LAKE Net Inflow (2) | JUN-JUL | 17.4 | 23 | 27 | 90 | 31 | 37 | 30 |
| | JUN-SEP | 21 | 28 | 33 | 92 | 38 | 45 | 36 |
| SF BIG BUTTE CK nr Butte Falls | JUN-JUL | 6.7 | 8.7 | 10.0 | 84 | 11.3 | 13.3 | 11.9 |
| CLEARWATER above Trap Creek (2) | MAY-SEP | 45 | 48 | 50 | 89 | 52 | 55 | 56 |
| COW CREEK near Azalea | JUN-JUL | 1.80 | 2.40 | 2.80 | 93 | 3.20 | 3.80 | 3.00 |
| | JUN-SEP | 2.90 | 3.50 | 4.00 | 95 | 4.50 | 5.10 | 4.20 |
| FOURMILE LAKE net Inflow (2) | APR-JUL | 2.50 | 3.90 | 4.90 | 85 | 5.90 | 7.30 | 5.80 |
| | MAY-SEP | 3.30 | 4.55 | 5.40 | 84 | 6.25 | 7.50 | 6.40 |
| GRAVE CREEK at Pease Bridge | JUN-JUL | 0.53 | 0.75 | 0.90 | 102 | 1.05 | 1.28 | 0.88 |
| HYATT PRAIRIE RES net Inflow (2) | MAY-JUL | 0.69 | 1.35 | 1.80 | 75 | 2.27 | 2.87 | 2.40 |
| ILLINOIS R near Kerby | JUN-JUL | 12.4 | 21 | 27 | 90 | 33 | 41 | 30 |
| | JUN-SEP | 15.0 | 26 | 33 | 89 | 40 | 51 | 37 |
| NF LITTLE BUTTE CK nr Lakecreek (2) | MAY-JUL | 2.37 | 4.90 | 6.60 | 96 | 8.30 | 10.80 | 6.90 |
| | MAY-SEP | 3.5 | 7.5 | 10.2 | 94 | 12.9 | 16.9 | 10.9 |
| SF LITTLE BUTTE CK nr Lakecreek (2) | MAY-JUL | 10.9 | 14.0 | 16.0 | 99 | 18.0 | 21 | 16.2 |
| LOST CREEK LAKE INFLOW (2) | JUN-JUL | 147 | 165 | 178 | 83 | 191 | 208 | 215 |
| | JUN-SEP | 255 | 280 | 295 | 86 | 310 | 335 | 345 |
| RED BLANKET CK nr Prospect | MAY-JUL | 17.3 | 22 | 25 | 96 | 28 | 33 | 26 |
| ROGUE above Prospect | JUN-JUL | 66 | 77 | 84 | 90 | 91 | 102 | 93 |
| | JUN-SEP | 107 | 121 | 130 | 87 | 139 | 153 | 149 |
| SF ROGUE near Prospect (2) | MAY-JUL | 28 | 35 | 39 | 93 | 43 | 50 | 42 |
| | MAY-SEP | 36 | 44 | 49 | 91 | 54 | 62 | 54 |
| ROGUE R at Raygold (2) | JUN-JUL | 174 | 195 | 210 | 82 | 225 | 244 | 255 |
| | JUN-SEP | 290 | 315 | 335 | 80 | 355 | 380 | 420 |
| ROGUE R at Grants Pass (2) | JUN-JUL | 160 | 184 | 200 | 83 | 216 | 238 | 240 |
| | JUN-SEP | 260 | 290 | 310 | 81 | 330 | 360 | 385 |
| SUCKER CK blw Little Grayback | JUN-JUL | 8.1 | 10.9 | 12.8 | 94 | 14.7 | 17.5 | 13.6 |
| | JUN-SEP | 11.4 | 14.5 | 16.6 | 93 | 18.7 | 22 | 17.8 |
| NORTH UMPQUA nr Toketee Falls (2) | MAY-SEP | 101 | 110 | 117 | 87 | 124 | 130 | 135 |
| NORTH UMPQUA at Winchester | JUN-JUL | 156 | 190 | 215 | 90 | 240 | 275 | 240 |
| SOUTH UMPQUA near Brockway | JUN-JUL | 29 | 48 | 61 | 88 | 74 | 93 | 69 |
| SOUTH UMPQUA at Tiller | JUN-JUL | 17.0 | 28 | 36 | 88 | 44 | 55 | 41 |
| | JUN-SEP | 26 | 38 | 46 | 90 | 54 | 66 | 51 |



| ROGUE AND UMPQUA BASINS Reservoir Storage (1000 AF) - End of May | | | | | ROGUE AND UMPQUA BASINS Watershed Snowpack Analysis - June 1, 2005 | | | |
|---|-----------------|------------------------|-----------|-------|---|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| APPLEGATE | 75.2 | 69.1 | 62.0 | 66.8 | Applegate River | 2 | 42 | 52 |
| EMIGRANT LAKE | 39.0 | 38.9 | 35.1 | 35.3 | Bear Creek | 1 | 42 | 52 |
| FISH LAKE | 8.0 | 4.5 | 5.4 | 6.6 | Butte Creek | 3 | 0 | 0 |
| FOURMILE LAKE | 16.1 | 6.8 | 8.1 | 12.5 | Illinois River | 1 | 0 | 0 |
| HOWARD PRAIRIE | 60.0 | 42.9 | 52.5 | 50.2 | North Umpqua River | 3 | 39 | 49 |
| HYATT PRAIRIE | 16.1 | 16.2 | 16.2 | 13.5 | Rogue River | 10 | 49 | 43 |
| LOST CREEK ** | 315.0 | 314.9 | 178.3 | 305.3 | | | | |

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.
 (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
 (2) - The value is natural flow - actual flow may be affected by upstream water management.

**For more information contact your local
 Natural Resources Conservation Service Office
 Roseburg - (541) 673-8316; Medford - (541) 776-4267**

KLAMATH BASIN

June 1, 2005



Water Supply Outlook

There was snow remaining at only one SNOTEL site in the Klamath basin on June 1. Meltout for all other SNOTEL sites was about a month earlier than normal. Twice the normal May precipitation fell in the Klamath last month. Water year precipitation was 75 percent of average on June 1, an improvement of 10 percentage points from last month.

Streamflows rose and reservoir storage improved in May. At the end of May, storage in Upper Klamath Lake was 99 percent of normal. Basinwide reservoir storage was 77 percent of normal. Gerber Reservoir net inflow is forecast to be 126 percent of average for June through July. Upper Klamath net inflow is forecast to be 66 percent of average for the June through September period.

For more information contact your local
 Natural Resources Conservation Service Office
 Klamath Falls - (541) 883-6932

| KLAMATH BASIN Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|--|-----------------|--|-----------------|---------------------------------|----------|------------------------|-----------------|-----------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30-yr Avg. (1000AF) | | |
| | | Chance Of Exceeding * | | | | | | |
| | | 90% (1000AF) | 70% (1000AF) | 50% (Most Probable) (1000AF) | (% AVG.) | | 30% (1000AF) | 10% (1000AF) |
| CLEAR LAKE NET INFLOW (2) | APR-SEP | 43 | 47 | 49 | 103 | 51 | 55 | 48 |
| | MAY-JUL | 32 | 35 | 37 | 192 | 39 | 42 | 19.3 |
| | MAY-SEP | 35 | 39 | 41 | 157 | 43 | 47 | 26 |
| GERBER RESERVOIR Net Inflow (2) | APR-SEP | 26 | 28 | 29 | 163 | 30 | 32 | 17.8 |
| | MAY-JUL | 20.38 | 21.94 | 23.00 | 359 | 24.06 | 25.62 | 6.40 |
| | MAY-SEP | 21.00 | 23.00 | 24.00 | 365 | 25.00 | 27.00 | 6.58 |
| | JUN-JUL | 0.94 | 1.75 | 2.30 | 126 | 2.84 | 3.64 | 1.82 |
| Sprague River near Chiloquin | APR-SEP | 151 | 177 | 195 | 85 | 215 | 240 | 230 |
| | MAY-JUL | 63 | 88 | 105 | 82 | 122 | 147 | 128 |
| | MAY-SEP | 92 | 118 | 135 | 87 | 152 | 178 | 155 |
| UPPER KLAMATH LAKE NET INFLOW (1) | APR-SEP | 338 | 368 | 383 | 74 | 398 | 428 | 515 |
| | MAY-SEP | 261 | 290 | 305 | 90 | 320 | 350 | 340 |
| | JUN-JUL | 36 | 66 | 80 | 73 | 94 | 124 | 110 |
| | JUN-SEP | 86 | 116 | 130 | 66 | 144 | 174 | 198 |
| WILLIAMSON R near Chiloquin | APR-SEP | 257 | 272 | 282 | 73 | 292 | 307 | 385 |
| | MAY-SEP | 205 | 220 | 230 | 86 | 240 | 255 | 267 |
| | JUN-JUL | 70 | 79 | 85 | 87 | 91 | 100 | 98 |
| | JUN-SEP | 100 | 110 | 117 | 72 | 124 | 134 | 162 |



| KLAMATH BASIN Reservoir Storage (1000 AF) - End of May | | | | | KLAMATH BASIN Watershed Snowpack Analysis - June 1, 2005 | | | |
|---|-----------------|------------------------|-----------|-------|---|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| CLEAR LAKE (CALIF) | 513.3 | 103.5 | 120.0 | 256.5 | Lost River | 2 | 0 | 0 |
| GERBER | 94.3 | 46.1 | 42.7 | 68.4 | Sprague River | 3 | 0 | 0 |
| UPPER KLAMATH LAKE | 523.7 | 479.8 | 421.8 | 487.0 | Upper Klamath Lake | 10 | 49 | 38 |
| | | | | | Williamson River | 5 | 54 | 48 |

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

LAKE COUNTY AND GOOSE LAKE

June 1, 2005



Water Supply Outlook

There was snow remaining at only one SNOTEL site in the Klamath basin on June 1. Meltout for all other SNOTEL sites was about a month earlier than normal. Twice the normal May precipitation fell in the Klamath last month. Water year precipitation was 75 percent of average on June 1, an improvement of 10 percentage points from last month.

Streamflows rose and reservoir storage improved in May. At the end of May, storage in Upper Klamath Lake was 99 percent of normal. Gerber Reservoir storage rose from 38 percent of average on May 1 to 63 percent of average on June 1 in response to the May rain storms. Klamath basin wide reservoir storage was 77 percent of normal.

Gerber Reservoir net inflow is forecast to be 126 percent of average for June through July. Upper Klamath net inflow is forecast to be 66 percent of average for the June through September period, reflecting the lower than normal winter snowpack. Despite the wet spring, water users in the Klamath basin may expect limited water supplies this season.

For more information contact your local
 Natural Resources Conservation Service Office
 Lakeview - (541) 947-2202

| LAKE COUNTY AND GOOSE LAKE BASINS Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|--|-----------------|--|-----------------|---------------------------------|----------|------------------------|-----------------|-----------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30-Yr Avg. (1000AF) | | |
| | | Chance Of Exceeding * | | Chance Of Exceeding * | | | | |
| | | 90% (1000AF) | 70% (1000AF) | 50% (Most Probable) (1000AF) | (% AVG.) | | 30% (1000AF) | 10% (1000AF) |
| BRIDGE CK nr Spahr Ranch | MAY-JUL | 0.89 | 1.67 | 2.20 | 79 | 2.70 | 3.50 | 2.80 |
| CHEWAUCAN R nr Paisley | MAY-JUL | 22 | 32 | 39 | 75 | 46 | 56 | 52 |
| | MAY-SEP | 25 | 36 | 43 | 77 | 50 | 61 | 56 |
| COTTONWOOD CK nr Lakeview (2) | MAY-JUL | 3.40 | 4.00 | 4.50 | 78 | 5.00 | 5.60 | 5.80 |
| DEEP CK abv Adel | MAY-JUL | 44 | 49 | 53 | 118 | 57 | 62 | 45 |
| | MAY-SEP | 48 | 53 | 57 | 121 | 61 | 66 | 47 |
| DREWS RESERVOIR net Inflow (2) | MAY-JUL | 5.10 | 8.00 | 10.00 | 127 | 12.00 | 15.30 | 7.90 |
| HONEY CK nr Plush | MAY-JUL | 4.7 | 7.3 | 9.0 | 83 | 10.7 | 13.3 | 10.8 |
| | MAY-SEP | 9.1 | 9.1 | 9.2 | 84 | 9.3 | 9.3 | 11.0 |
| SILVER CK nr Silver Lk | MAY-JUL | 1.38 | 3.90 | 5.60 | 65 | 7.30 | 9.80 | 8.60 |
| TWENTYMILE CK nr Adel | MAY-JUL | 4.9 | 9.1 | 12.0 | 113 | 14.9 | 18.6 | 10.6 |
| | MAY-SEP | 6.6 | 10.9 | 13.8 | 124 | 16.7 | 21 | 11.1 |

| LAKE COUNTY AND GOOSE LAKE BASINS Reservoir Storage (1000 AF) - End of May | | | | | LAKE COUNTY AND GOOSE LAKE BASINS Watershed Snowpack Analysis - June 1, 2005 | | | |
|---|-----------------|------------------------|-----------|------|---|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| COTTONWOOD | 8.7 | 9.3 | 9.3 | 6.8 | Chewaucan River | 2 | 0 | 0 |
| DREWS | 63.0 | 51.5 | 35.0 | 51.0 | Deep Creek | 1 | 753 | 131 |
| THOMPSON VALLEY | 18.4 | 9.1 | 8.9 | 13.8 | Drew Creek | 2 | 0 | 0 |
| | | | | | Honey Creek | 0 | 0 | 0 |
| | | | | | Silver Creek (Lake Co.) | 3 | 0 | 0 |
| | | | | | Twentymile Creek | 1 | 753 | 131 |



* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

(1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.

(2) - The value is natural flow - actual flow may be affected by upstream water management.

HARNEY BASIN

June 1, 2005



Water Supply Outlook

While the accumulated snowpack this past winter in the Lake County and Goose Lake Basins was often the best in the state, it was still well below normal all winter. Snow was melted out from all but one of the SNOTEL sites in the basin by June 1. Precipitation for the month of May was nearly 3 times the average. Water year precipitation as of June 1 was 104 percent of average, an improvement of over 20 percentage points from May 1.

Streamflows rose and reservoir conditions improved with May rain storms in Lake County and Goose Lake Basin. Reservoir storage bounced from 50 percent of average at the end of April to 97 percent of average at the end of May. Water users are expected to have adequate supplies this season although conservation measures may be prudent in some areas.

| HARNEY BASIN Streamflow Forecasts - June 1, 2005 | | | | | | | | |
|---|-----------------|--|-----------------|---|----|------------------------|-----------------|-----------------|
| Forecast Point | Forecast Period | <<===== Drier ===== Future Conditions ===== Wetter =====>> | | | | 30-Yr Avg. (1000AF) | | |
| | | 90% (1000AF) | 70% (1000AF) | Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.) | | | 30% (1000AF) | 10% (1000AF) |
| DONNER und BLITZEN R nr Frenchglen | MAY-JUL | 39 | 44 | 48 | 96 | 52 | 57 | 50 |
| | MAY-SEP | 45 | 51 | 55 | 98 | 59 | 65 | 56 |
| SILVER CK nr Riley | MAY-JUL | 2.20 | 3.90 | 5.00 | 74 | 6.10 | 7.80 | 6.80 |
| SILVIES R nr Burns | MAY-JUL | 1.0 | 15.8 | 30 | 61 | 44 | 65 | 49 |
| | MAY-SEP | 1.6 | 17.3 | 32 | 62 | 47 | 68 | 52 |
| TROUT CK nr Denio | MAY-JUL | 3.05 | 4.69 | 5.80 | 81 | 6.90 | 8.60 | 7.20 |
| | MAY-SEP | 3.51 | 5.30 | 6.50 | 83 | 7.70 | 9.50 | 7.80 |

| HARNEY BASIN Reservoir Storage (1000 AF) - End of May | | | | | HARNEY BASIN Watershed Snowpack Analysis - June 1, 2005 | | | |
|--|-----------------|------------------------|-----------|-----|--|----------------------|-------------------|---------|
| Reservoir | Usable Capacity | *** Usable Storage *** | | | Watershed | Number of Data Sites | This Year as % of | |
| | | This Year | Last Year | Avg | | | Last Yr | Average |
| | | | | | Donner und Blitzen River | 2 | 102 | 56 |
| | | | | | Silver Creek (Harney Co) | 2 | 0 | 0 |
| | | | | | Silvies River | 5 | 0 | 0 |
| | | | | | Trout Creek | 1 | 0 | 0 |

* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.

LOW FLOW FORECASTS FOR OREGON AS OF June 1, 2005

| FORECAST POINT | LOW FLOW CFS | FORECAST DATE OF LOW FLOW | AVERAGE DATE OF LOW FLOW |
|----------------|--------------------|---------------------------------|--------------------------------|
|----------------|--------------------|---------------------------------|--------------------------------|

OWYHEE AND MALHEUR BASINS:

| | | | |
|----------------|------|--------|--------|
| Owyhee nr Rome | 2000 | Jun 5 | May 14 |
| | 1000 | Jun 11 | May 28 |
| | 500 | Jun 20 | Jun 11 |

BURNT, POWDER, PINE, GRANDE RONDE AND IMNAHA BASINS:

| | | | |
|-----------------|-----|--------|-----------|
| Eagle Ck above | 225 | Jul 15 | Jul 25 |
| Skull Ck | 160 | Jul 25 | Aug 5 |
| | | | Avg Value |
| Catherine Ck nr | 30 | Aug 1 | 49 cfs |
| Union | 100 | Jun 15 | Jul 9 |
| | 50 | Jun 20 | Jul 28 |
| Powder near | 100 | Jun 15 | Jun 25 |
| Sumpter | 20 | Jul 10 | Jul 22 |
| Deer Ck above | 40 | Jun 3 | Jun 17 |
| Phillips Resv | 10 | Jun 10 | Jul 6 |
| nr Sumpter | | | |

UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY BASINS:

| | | | |
|----------------|-----|----------|-----------|
| Umatilla at | 550 | May 25 | May 17 |
| Pendleton | | | |
| SF Walla Walla | 200 | May 25 | Jun 9 |
| nr Milton | | Min Flow | Avg Value |
| | 70 | Aug-Sep | 105 cfs |

UPPER JOHN DAY BASIN:

| | | | |
|-------------|-----|-------|-----------|
| | | | Avg Value |
| John Day at | 180 | Aug 1 | 212 cfs |
| Service Ck | | | |

UPPER DESCHUTES AND CROOKED BASINS:

| | | | |
|--------------------|------|--------|--------|
| Crane Prairie | 174 | Peak | |
| Net Inflow | 126 | Oct 31 | |
| | Peak | May 29 | |
| Crooked R | 100 | Jun 7 | Jun 1 |
| Deschutes blw Bend | 1500 | May 13 | Jul 1 |
| Little Deschutes | 400 | *** | Jun 7 |
| nr LaPine | 200 | May 13 | Jul 8 |
| Squaw Ck nr | 100 | *** | Aug 16 |
| Sisters | | | |
| Tumalo Ck nr | 235 | *** | Jun 23 |
| Bend | 207 | *** | Jun 25 |
| | 150 | May 30 | Jul 5 |
| | 71 | May 31 | Aug 7 |

*** flow will not reach this value

LOW FLOW FORECASTS FOR OREGON AS OF June 1, 2005
(continued)

| FORECAST POINT | LOW FLOW CFS | FORECAST DATE OF LOW FLOW | AVERAGE DATE OF LOW FLOW |
|----------------|--------------------|---------------------------------|--------------------------------|
|----------------|--------------------|---------------------------------|--------------------------------|

HOOD, MILE CREEKS AND LOWER DESCHUTES BASINS:

| | | | |
|-------------------------|-----|-----------|--------------------|
| Clear Branch Inflow | 25* | Jul 15-31 | 39**cfs |
| White bl Tygh Valley | 200 | May 20 | Jul 3 Avg Value |
| | 100 | Aug 1 | 145 cfs |

* Average cfs forecast to flow
for this two-week period.

** Average cfs for period of record.

ROGUE AND UMPQUA BASINS:

| | | | |
|-----------------------------|-----|--------|--------|
| Cow Ck nr | 20 | Jun 25 | Jul 4 |
| Azalea | 10 | Jul 10 | Aug 19 |
| Little Butte Ck SF | 100 | May 25 | May 15 |
| South Umpqua nr Brockway | 90 | Aug 1 | Aug 28 |
| South Umpqua at Tiller | 140 | Jul 1 | Jul 12 |
| | 90 | Jul 28 | Jul 28 |
| | 60 | Aug 1 | Aug 24 |

LAKE COUNTY AND GOOSE LAKE BASINS:

| | | | |
|-----------------------|-----|--------|--------|
| Deep Ck abv Adel | 100 | Jun 15 | Jun 21 |
| Honey Ck nr Plush | 100 | May 20 | May 15 |
| | 50 | Jun 5 | May 30 |
| Twentymile nr Adel | 50 | Jun 10 | Jun 2 |
| | 10 | Jun 25 | Jul 3 |

HARNEY BASIN:

| | | | |
|-----------------------|-----|--------|--------|
| Silvies nr | 400 | May 28 | May 5 |
| Burns | 200 | Jun 6 | May 21 |
| | 100 | Jun 16 | Jun 9 |
| | 50 | Jun 22 | Jun 23 |
| Donner und Blitzen | 200 | Jun 15 | Jun 15 |
| | 100 | Jun 30 | Jul 5 |

LOST - Data current as of:06/08/05 09:02:18

B A S I N S U M M A R Y O F
S N O W C O U R S E D A T A

J U N E 2 0 0 5

| SNOW COURSE | | ELEVATION | DATE | SNOW DEPTH | WATER CONTENT | LAST YEAR | AVERAGE 71-00 |
|------------------|--------|-----------|---------|---------------|------------------|--------------|------------------|
| Oregon | | | | | | | |
| ANEROID LAKE | SNOTEL | 7300 | 6/01/05 | 32 | 10.1 | 19.5 | 15.5 |
| ANNIE SPRING REV | | 6120 | 6/01/05 | --- | 11.8E | 22.0 | 24.4 |
| ANNIE SPRING | SNOTEL | 6120 | 6/01/05 | 22 | 11.1 | 27.8 | -- |
| | | | | | | | |
| ARBUCKLE MTN | SNOTEL | 5400 | 6/01/05 | 0 | .0 | .0 | .7 |
| BEAVER RES. | SNOTEL | 5150 | 6/01/05 | 0 | .0 | .0 | .0 |
| BIG RED MTN | SNOTEL | 6250 | 6/01/05 | --- | 4.3 | 10.2 | 8.3 |
| BIGELOW CAMP | SNOTEL | 5120 | 6/01/05 | 0 | .0 | .0 | .0 |
| BILLIE CK DVD | SNOTEL | 5300 | 6/01/05 | 0 | .0 | .0 | .0 |
| BLAZED ALDER | SNOTEL | 3650 | 6/01/05 | 0 | .0 | .0 | 5.0 |
| BLUE MTN SPGS | SNOTEL | 5900 | 6/01/05 | 0 | .0 | .0 | .0 |
| BOURNE | SNOTEL | 5800 | 6/01/05 | 0 | .0 | .0 | .1 |
| BOWMAN SPRNGS | SNOTEL | 4580 | 6/01/05 | 0 | .0 | .0 | .0 |
| CASCADE SUM. | SNOTEL | 4880 | 6/01/05 | 0 | .0 | .0 | 5.9 |
| CHEMULT ALT | SNOTEL | 4760 | 6/01/05 | 0 | .0 | .0 | .0 |
| CLACKAMAS LK. | SNOTEL | 3400 | 6/01/05 | 0 | .0 | .0 | .0 |
| CLEAR LAKE | SNOTEL | 3500 | 6/01/05 | 0 | .0 | .0 | .3 |
| COLD SPRINGS | SNOTEL | 6100 | 6/01/05 | 0 | .0 | .0 | 4.5 |
| COUNTY LINE | SNOTEL | 4800 | 6/01/05 | 0 | .0 | .0 | .1 |
| CRAZYMAN FLAT | SNOTEL | 6100 | 6/01/05 | 0 | .0 | .0 | -- |
| DALY LAKE | SNOTEL | 3600 | 6/01/05 | 0 | .0 | .0 | .5 |
| DERR | SNOTEL | 5670 | 6/01/05 | 0 | .0 | .0 | .0 |
| DIAMOND LAKE | SNOTEL | 5320 | 6/01/05 | 0 | .0 | .0 | .3 |
| EILERTSON | SNOTEL | 5400 | 6/01/05 | 0 | .0 | .0 | .0 |
| EMIGRANT SPGS | SNOTEL | 3930 | 6/01/05 | 0 | .0 | .0 | .0 |
| FISH CREEK | SNOTEL | 7900 | 6/01/05 | --- | 8.8 | 8.6 | 13.8 |
| FISH LK. | SNOTEL | 4670 | 6/01/05 | 0 | .0 | .0 | .0 |
| FOURMILE LAKE | SNOTEL | 6000 | 6/01/05 | 0 | .0 | .4 | 6.2 |
| GERBER RES | SNOTEL | 4850 | 6/01/05 | 0 | .0 | .0 | -- |
| GOLD CENTER | SNOTEL | 5340 | 6/01/05 | 0 | .0 | .0 | .0 |
| GREENPOINT | SNOTEL | 3200 | 6/01/05 | 0 | .0 | .0 | .0 |
| HIGH RIDGE | SNOTEL | 4980 | 6/01/05 | 0 | .0 | .0 | 1.2 |
| HOGG PASS | SNOTEL | 4760 | 6/01/05 | 0 | .0 | .0 | 10.8 |
| HOLLAND MDWS | SNOTEL | 4900 | 6/01/05 | 0 | .0 | .0 | 2.1 |
| IRISH-TAYLOR | SNOTEL | 5500 | 6/01/05 | 16 | 6.1 | 34.7 | 26.1 |
| JUMP OFF JOE | SNOTEL | 3400 | 6/01/05 | 0 | .0 | .0 | .2 |
| KING MTN #2 | SNOTEL | 4000 | 6/01/05 | 0 | .0 | .0 | .0 |
| LAKE CK R.S. | SNOTEL | 5200 | 6/01/05 | 0 | .0 | .0 | .0 |
| LITTLE MEADOW | SNOTEL | 4000 | 6/01/05 | 0 | .0 | .0 | 3.6 |
| MADISON BUTTE | SNOTEL | 5250 | 6/01/05 | 0 | .0 | .0 | .0 |
| MARION FORKS | SNOTEL | 2600 | 6/01/05 | 0 | .0 | .0 | .0 |
| MCKENZIE | SNOTEL | 4800 | 6/01/05 | 0 | .0 | 5.9 | 19.6 |
| MOSS SPRINGS | SNOTEL | 5850 | 6/01/05 | 0 | .0 | .3 | 4.0 |
| MT HOOD TEST | SNOTEL | 5400 | 6/01/05 | 0 | .0 | 36.4 | 48.1 |
| MT HOWARD | SNOTEL | 7910 | 6/01/05 | 15 | 4.9 | 5.1 | 7.8 |

| SNOW COURSE | | ELEVATION | DATE | SNOW DEPTH | WATER CONTENT | LAST YEAR | AVERAGE 71-00 |
|----------------------|--------|-----------|---------|------------|---------------|-----------|---------------|
| MUD RIDGE | SNOTEL | 3800 | 6/01/05 | 0 | .0 | .0 | 1.8 |
| NEW CRESCENT | SNOTEL | 5400 | 6/01/05 | 0 | .0 | .0 | .0 |
| NORTH FK RES | SNOTEL | 3120 | 6/01/05 | 0 | .0 | .0 | .5 |
| OCHOCO MEADOW | SNOTEL | 5200 | 6/01/05 | 0 | .0 | .0 | .0 |
| PARK H.Q. REV | | 6550 | 6/01/05 | --- | 21.9E | -- | 45.3 |
| PEAVINE RIDGE | SNOTEL | 3500 | 6/01/05 | 0 | .0 | .0 | .3 |
| QUARTZ MTN | SNOTEL | 5320 | 6/01/05 | 0 | .0 | .0 | .0 |
| R.R. OVERPASS | SNOTEL | 2750 | 6/01/05 | 0 | .0 | .0 | .0 |
| RED HILL | SNOTEL | 4400 | 6/01/05 | 0 | .0 | 7.1 | 16.3 |
| ROARING RIVER | SNOTEL | 4900 | 6/01/05 | 0 | .0 | .0 | 5.2 |
| ROCK SPRINGS | SNOTEL | 5100 | 6/01/05 | 0 | .0 | .0 | .0 |
| SADDLE MTN | SNOTEL | 3250 | 6/01/05 | 0 | .0 | .0 | .0 |
| SALT CK FALLS | SNOTEL | 4000 | 6/01/05 | 0 | .0 | .0 | .5 |
| SANTIAM JCT. | SNOTEL | 3750 | 6/01/05 | 0 | .0 | .0 | .0 |
| SCHNEIDER MDW | SNOTEL | 5400 | 6/01/05 | 0 | .0 | .0 | 1.9 |
| SEINE CREEK | SNOTEL | 2000 | 6/01/05 | 0 | .0 | .0 | .0 |
| SEVENMILE MARSH SNTL | | 5730 | 6/01/05 | 0 | .0 | 1.6 | 6.5 |
| SILVER CREEK | SNOTEL | 4900 | 6/01/05 | 0 | .0 | .0 | .0 |
| SILVIES | SNOTEL | 6900 | 6/01/05 | 0 | .0 | .0 | 1.8 |
| SNOW MTN | SNOTEL | 6220 | 6/01/05 | 0 | .0 | .0 | .1 |
| SF BULL RUN | SNOTEL | 2630 | 6/01/05 | 0 | .0 | .0 | -- |
| STARR RIDGE | SNOTEL | 5150 | 6/01/05 | 0 | .0 | .0 | .0 |
| STRAWBERRY | SNOTEL | 5760 | 6/01/05 | 0 | .0 | .0 | .0 |
| SUMMER RIM | SNOTEL | 7100 | 6/01/05 | 0 | .0 | .0 | 1.2 |
| SUMMIT LAKE | SNOTEL | 5600 | 6/01/05 | --- | 14.1 | 35.9 | 26.6 |
| TAYLOR BUTTE | SNOTEL | 5100 | 6/01/05 | 0 | .0 | .0 | .0 |
| TAYLOR GREEN | SNOTEL | 5740 | 6/01/05 | 0 | .0 | .0 | .1 |
| THREE CK MEAD | SNOTEL | 5650 | 6/01/05 | 0 | .0 | .0 | 1.9 |
| TIPTON | SNOTEL | 5100 | 6/01/05 | 0 | .0 | .0 | .0 |
| WOLF CREEK | SNOTEL | 5700 | 6/01/05 | 0 | .0 | .0 | .1 |
| California | | | | | | | |
| ADIN MTN | SNOTEL | 6350 | 6/01/05 | 0 | .0 | .0 | .7 |
| CEDAR PASS | SNOTEL | 7100 | 6/01/05 | 0 | .0 | .0 | 2.7 |
| CROWDER FLAT | SNOTEL | 5200 | 6/01/05 | 0 | .0 | .0 | -- |
| DISMAL SWAMP | SNOTEL | 7000 | 6/01/05 | --- | 11.3 | 1.5 | 8.6 |
| Idaho | | | | | | | |
| MUD FLAT | SNOTEL | 5730 | 6/01/05 | 0 | .0 | .0 | .0 |
| SOUTH MTN | SNOTEL | 6500 | 6/01/05 | 0 | .0 | .0 | .0 |
| Nevada | | | | | | | |
| BEAR CREEK | SNOTEL | 7800 | 6/01/05 | --- | 3.0 | .0 | 7.1 |
| BIG BEND | SNOTEL | 6700 | 6/01/05 | 0 | .0 | .0 | .1 |
| BUCKSKIN,L | SNOTEL | 6700 | 6/01/05 | 0 | .0 | .0 | .0 |
| DISASTER PEAK | SNOTEL | 6500 | 6/01/05 | 0 | .0 | .0 | .0 |
| FAWN CREEK | SNOTEL | 7050 | 6/01/05 | 0 | .0 | .0 | 1.4 |
| GRANITE PEAK | SNOTEL | 7800 | 6/01/05 | 5 | 2.4 | .0 | 11.9 |
| JACK CREEK, U | SNOTEL | 7280 | 6/01/05 | 0 | .0 | .0 | 2.8 |
| LAMANCE CREEK | SNOTEL | 6000 | 6/01/05 | 0 | .0 | .0 | .0 |
| LAUREL DRAW | SNOTEL | 6700 | 6/01/05 | 0 | .0 | .0 | .0 |
| SEVENTYSIX CK | SNOTEL | 7100 | 6/01/05 | 0 | .0 | .0 | .0 |
| TAYLOR CANYON | SNOTEL | 6200 | 6/01/05 | 0 | .0 | .0 | .0 |

(d) denotes discontinued site.